

**Tender No: NIPER/RBL/2021-22/13/21/13**

**Date: 27/08/2021**

National Institute of Pharmaceutical Education and Research, Raebareli invites online bids (e-tender) in two bids systems, from OEM/ Authorized System Integrator Partner having Direct Purchase and Support Agreement with the OEM(s).

**Category of Suppliers invited for this Tender**

Class I local Supplier – has local content equal to more than 50%

Class II local Supplier – has local content more than 20% but less than 50%

**Brief Details of Tender:**

<b>Item Description</b>	<b>Qty.</b>
Supply and Installation of Lab Furniture	As mentioned in Technical details

The Tender Document can be downloaded from Central Public Procurement (CPP) Portal <https://eprocure.gov.in/eprocure/app> or Institute website [www.niperraebareli.edu.in](http://www.niperraebareli.edu.in) and bid is to be submitted online only through the E-procurement portal up to the last date and time of submission of tender.

**Critical Dates of Tender**

<b>Sr. No</b>	<b>Particulars</b>	<b>Date</b>	<b>Time</b>
1	Date of Online Publication/Download of Tender	27/08/2021	18:00 Hrs.
2	Pre-Bid Meeting via MS Team	07/09/2021	15:30 Hrs.
3	Bid Submission Start Date	28/08/2021	15:00 Hrs.
4	Bid Submission Close Date	20/09/2021	15:00 Hrs.
5	Opening of Technical Bids	21/09/2021	15:30 Hrs.

No manual bids will be accepted. All quotation (both Technical and Financial should be submitted in the E-procurement portal).

Any queries relating to the process of online bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk. The contact number for the helpdesk is 0120-4200462, 0120-4001002.

### **INDEX PAGE**

<b>SR. NO</b>	<b>DESCRIPTION OF CONTENTS</b>	<b>PAGE NO</b>
1.	INSTRUCTIONS FOR ONLINE BID SUBMISSION	03
2.	CHAPTER -1 : INVITATION FOR TENDER OFFERS	06
3.	CHAPTER -2 : INSTRUCTIONS TO BIDDERS	12
4.	CHAPTER -3 : CONDITIONS OF CONTRACT	15
5.	CHAPTER -4 : SCHEDULE OF REQUIREMENTS, SPECIFICATIONS ALLIED TECHNICAL DETAILS	24
6.	CHAPTER -5 : PRICE SCHEDULE	48
7.	ANNEXURE – A - FORMAT/QUESTIONNAIRE FOR COMPLIANCE OF TERMS AND CONDITIONS	49-55
8.	ANNEXURE – B - FORMAT OF COMPLIANCE STATEMENT OF SPECIFICATIONS	56
9.	ANNEXURE – C- MANUFACTURER'S AUTHORIZATION FORM	57
10.	ANNEXURE – D- BID SECURING DECLARATION FORM	58
11.	ANNEXURE – E – PREVIOUS SUPPLY ORDER LIST FORMAT	59
12.	ANNEXURE – F - BIDDER INFORMATION FORM	60
13.	ANNEXURE – G - BLACKLIST CERTIFICATE	61
14.	ANNEXURE – H - CERTIFICATE BY BIDDER- DPIIT REGISTRATION	62
15.	ANNEXURE – I - SELF-CERTIFICATION REGARDING LOCAL CONTENT (LC) FOR GOODS, SERVICES OR WORKS	63
16.	ANNEXURE – J - NO RELATIONSHIP CERTIFICATE	64
17.	ANNEXURE – K – ANNUAL MAINTENANCE CONTRACT	65
18.	ANNEXURE – L- UNDERTAKING FOR SUBMISSION OF PERFORMANCE BANK GUARANTEE	66
19.	ANNEXURE – M NIPER RAEBARELI BANK DETAILS	67
20.	ANNEXURE – N- ACCEPTANCE OF TENDER TERMS	68
21.	CHECKLIST FOR BIDDERS	69
22.	IMPORTANT NOTICE	70

### **Instructions for Online Bid Submission:**

This tender document has been published on the Central Public Procurement Portal (URL:<https://eprocure.gov.in/eprocure/app>) & Institute website [www.niperraebareli.edu.in](http://www.niperraebareli.edu.in) . The bidders are required to submit soft copies of their bids electronically on the CPP Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP Portal.

More information useful for submitting online bids on the CPP Portal may be obtained at: <https://eprocure.gov.in/eprocure/app> .

### **REGISTRATION**

1. Bidders are required to enroll on the e-Procurement module of the Central Public Procurement Portal (URL:<http://eprocure.gov.in/eprocure/app> ) by clicking on the link “Click here to Enroll”. Enrolment on the CPP Portal is free of charge.
2. As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts.
3. Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.
4. Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify / TCS / nCode / eMudhra etc.), with their profile.
5. Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSCs to others which may lead to misuse.
6. Bidder then logs in to the site through the secured log-in by entering their user ID / password and the password of the DSC / eToken.
7. The CPP Portal also has user manual with detailed guidelines on enrollment and participation in the online bidding process. Any queries related to process of online bids or queries related to CPP Portal may be directed to the 24x7 CPP Portal Helpdesk.
8. The Institute will not be responsible for any type of technical issue regarding uploading of Tender on website.

### **SEARCHING FOR TENDER DOCUMENTS**

1. There are various search options built in the CPP Portal, to facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, organization name, location, date, value, etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as organization name, form of contract, location, date, other keywords etc. to search for a tender published on the CPP Portal.

2. Once the bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective 'My Tenders' folder. This would enable the CPP Portal to intimate the bidders through SMS / e-mail in case there is any corrigendum issued to the tender document.
3. The bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification / help from the Helpdesk.

### **PREPARATION OF BIDS**

1. Bidder should take into account any corrigendum published on the tender document before submitting their bids.
2. Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents - including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.
3. Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document / schedule and generally, they can be in PDF / XLS formats. Bid documents may be scanned with 100 dpi with black and white option.
4. To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor certificates etc.) has been provided to the bidders. Bidders can use "My Space" area available to them to upload such documents. These documents may be directly submitted from the "My Space" area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.

### **SUBMISSION OF BIDS**

1. Bidder should log into the site well in advance for bid submission so that he/she upload the bid in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other issues.
2. The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.
3. Financial Bids can be submitted in PDF format (As per Chapter 5).

Any additional components, which the bidder wants to quote and if it's not available in BoQ, can be quoted in the PDF format.

The bidder may add rows to include the prices of all components & warranties, installation etc. whichever applicable.

4. Bidders are requested to note that they should necessarily submit their financial bids in

the format provided (as per Chapter-5) and no other format is acceptable. The Financial Bid can be submitted in PDF format also. If the price bid has been given as a standard BOQ format with the tender document, then the same is to be downloaded and to be filled by all the bidders. Bidders are required to download the BOQ file, open it and complete the white Colored (unprotected) cells with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it and submit it online, without changing the filename. If the BOQ file is found to be modified by the bidder, the bid will be rejected.

5. The server time (which is displayed on the bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.
6. The uploaded tender documents become readable only after the tender opening by the authorized bid openers.
7. Upon the successful and timely submission of bids, the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.
8. Kindly add scanned PDF of all relevant documents in a single PDF file of compliance sheet.

#### **ASSISTANCE TO BIDDERS**

- i. Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contact person indicated in the tender.
- ii. Any queries relating to the process of online bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk. The contact number for the helpdesk is **0120-4200462, 0120-4001002**.

## **Chapter 1**

### **INVITATION FOR Tender Offers**

1. National Institute of Pharmaceutical Education and Research (NIPER), Raebareli invites e-Tender for Supply and Installation of Lab Furniture. The Bidders are requested to give detailed tender in two Bids i.e.
  - a. **Part - I: Technical Bid.**
  - b. **Part - II: Commercial Bid.**
2. In view of Covid-19, NIPER Raebareli will be conducting a Pre-bid conference through Microsoft Team on. 07/09/2021 from 03:30 PM to 04:30 PM (IST). All prospective bidders are requested to kindly send their queries through email at [purchase.niperr@gmail.com](mailto:purchase.niperr@gmail.com) so as to reach latest by 06/09/2021. Clarifications to all the queries received before the due date will be given during the Pre-Bid Meeting and only the queries which remain un-clarified (or) the queries which have an impact on the change in technical specifications will be mentioned in the minutes of the pre-bid meeting and the same will be uploaded on our website and CPPP portal. No queries will be entertained after the Pre-bid meeting. In the event of all queries received being clarified during the pre-bid & if there are no changes in the technical specifications then nil report will be uploaded in the website and CPPP portal.

The MS Team link will be personally sent via email to the vendors interested in attending the Pre-Bid conference upon their request. Vendors interested must send a request for access to Pre-Bid conference at [purchase.niperr@gmail.com](mailto:purchase.niperr@gmail.com). Bidder attending Pre-Bid conference via MS Team must ensure of active and uninterrupted high speed internet connection with a working microphone and camera from their end. In case of frequent disconnection (or) bad connection, NIPER Raebareli will not be responsible for the same and no further correspondence will be entertained post the date of Pre-Bid meeting.

### **TIME SCHEDULE**

Sr. No	Particulars	Date	Time
1	Date of Online Publication/Download of Tender	27/08/2021	18:00 Hrs.
2	Pre-Bid Meeting via MS Team	07/09/2021	15:30 Hrs.
3	Bid Submission Start Date	28/08/2021	15:00 Hrs.
4	Bid Submission Close Date	20/09/2021	15:00 Hrs.
5	Opening of Technical Bids	21/09/2021	15:30 Hrs.

Supply means: "Supply, Installation, Commissioning and satisfactory demonstration of the whole system and training". If any charges extra are payable for Installation, Commissioning and training, the same should be specified in the commercial offer

### **3. AVAILABILITY OF TENDER:**

The tender document can be downloaded from <http://eprocure.gov.in/eprocure/app> and be submitted only through the same website.

**Technical Bid:**

1. The online envelope clearly marked as "Technical Bid - Envelope No. 1" shall contain the all scanned copies of originals documents in PDF Format.
  - a) Compliance statement/questionnaire of tender terms and conditions as per Annexure- 'A'.
  - b) Compliance statement of specifications as per Annexure- 'B'.
  - c) Manufacturer authorization as per Annexure – 'C'.
  - d) Bid Security Declaration as per Annexure- 'D'.
  - e) Previous Supply Order List Format as per Annexure – 'E'.
  - f) Bidder Information Form as per Annexure – 'F'.
  - g) Blacklist Certificate as per Annexure – 'G'.
  - h) Certificate By Bidder- DPIIT Registration Annexure – 'H'.
  - i) Self-declaration by the bidder as per that the items offered meet the local/non local content requirement in pursuance of public procurement preference to make in India, order 2017 (please tick appropriate option Annexure – 'I'.
  - j) No Relationship Certificate Annexure – 'J'.
  - k) Annual Maintenance Contract - ANNEXURE-K
  - l) UNDERTAKING FOR SUBMISSION OF PERFORMANCE BANK GUARANTEE ANNEXURE-L
  - m) ACCEPTANCE OF TENDER TERMS ANNEXURE- 'N'
  - n) Solvency certificates for Rs. 14, 00,000.00 – (Fourteen Lakh) not older than twelve months) issued by Scheduled/Nationalized bank with which BIDDER holds the current account.
  - o) Copy of GST No. and PAN No. allotted by the concerned authorities. If registered with the National Small Industries Corporation, the registration number, purpose of registration and the validity period of registration and a copy of DGS&D registration wherever it is applicable should also be provided in Technical Bid.
  - p) A Well-defined and described solution document in adherence to the technical specifications documented in this tender along with technical literature/ leaflets and complete specifications of quoted model(s) along with commercial terms and conditions
  - q) In case of exemption from submission of Bid security, proof of registration with NSIC/MSME.
  - r) Details of supplies of similar Works, along with photocopies of previous Purchase orders and details of place of supply along with contact details.
  - s) Please quote the specific model number catalogue number with detailed description of the item quoted.
  - t) Also attached the technical literature brochure of the quoted items.
  - u) Scanned copy of Tender Fee and it is required to submit the same in original in a sealed envelope at the following address (in case of vendor opts for manual tender fee



**Director**

National Institute of Pharmaceutical Education and Research (NIPER), Raebareli  
Transit campus: Bijnor-Sisendi Road, Sarojini Nagar,  
Near CRPF Base Camp, Lucknow (UP)- 226002`

Email: [store.purchase@niperraebareli.edu.in](mailto:store.purchase@niperraebareli.edu.in) Ph: 0522 - 2497903

Website: <http://www.niperraebareli.edu.in/>

**TENDER FEE :**

- a) **Tender Fee of Rs. 1,000/- (One Thousand only)** in the form of Demand Draft from Nationalized/scheduled bank in favor of The Director, NIPER Raebareli. The firm registered with NSIC/MSME as manufacturer for the supply of the same category of item for which the party is submitting quotation will be exempted from submission of FEE.

4. The technical offer **should not contain any price information.**

**5. Technical Specifications:**

- i. Time & Specifications are the basic essence of the contract. It must be ensured that the offers must be strictly as per the tender specifications and must strictly adhere to the project/delivery timelines. At the same time, it must be kept in mind that merely copying our specifications in the quotation shall not make the parties eligible for consideration of the quotation.
- ii. A quotation has to be supported with the printed technical leaflet/literature of the quoted model of the item by the quoting party/manufacturer and the specifications mentioned in the quotation must be reflected /supported by the printed technical leaflet/literature. Therefore, the model quoted invariably be highlighted in the leaflet/literature enclosed with the quotation.
- iii. The Technical bid should not contain any price information (or) anything related to Financial Bid. Any mention of commercials/prices in the technical bid shall lead to disqualification of the tender and shall not be considered for further evaluation process.
- iv. Non-compliance of the above shall be treated as incomplete/ambiguous bid and the bid will be ignored/ rejected without giving an opportunity for clarification/negotiation etc. to the bidder.

**6. Compliance Statements:**

- i. Bidders must furnish a Compliance Statement of each and every required Specification of our tender in the format at ANNEXURE-‘B’. The deviations, if any, from the tendered specifications should be clearly brought out in the statement. Technical literature/leaflet showing the compliance of the specification may also be attached with the quotation.
- ii. Similarly, the Compliance Statement/questionnaire for Terms & Conditions of the tender may be furnished, as per the enclosed format at Annexure –‘A’, along with quotation (with techno- commercial bid in case of two bid tender system).
- iii. The firms are advised to submit both the compliance statements essentially along with their quotation failing which their offer may not be considered.



**Envelope 2: “Commercial Bid” shall contain:**

- i. Cost of all the items should be mentioned clearly and individually in the Commercial Offer (Part-II) only.
- ii. The BIDDERS are requested to quote for Educational Institutional Price for Equipment and software, since we are eligible for the same.
- iii. The prices should be shown against each item for the purpose of Insurance claims / replacements if any.
- iv. List of deliverables / Bill of materials and services.
- v. In case of foreign quote, the address of Principal's / Manufacturer's and their Banker's details should be furnished.

**Note:**

- (i) No request for extension of due date will be considered under any circumstances.
  - (ii) No sub-contracting is allowed with regard to installation, commissioning, training, warranty maintenance and after sales service. This is the sole responsibility of the Principals'/their authorized agents
7. NIPER Raebareli may issue corrigendum to tender documents before due date of Submission of bid. The bidder is required to read the tender documents in conjunction with the corrigendum, if any, issued by NIPER Raebareli. The bidder is not supposed to incorporate the amendment in the body of the tender document

**8. BID OPENING AND EVALUATION PROCESS**

- a. Technical Bids will be opened on 21-09- 2021 at 03:30 PM.
- b. Financial Bids of the eligible bidders will be opened on a later date. The date and time for opening of Financial Bids will be announced later.
- c. Bids would be summarily rejected, if tender is submitted other than through online or **original tender fee is not submitted within stipulated date / time**. NIPER Raebareli shall not be responsible for any postal delay, Tender Fee before Tender closing date.

**9. Terms of the Technical Committee**

- i. On the due date the Technical bids will be opened and referred to the Technical Committee which is duly constituted by the Director, NIPER Raebareli. The committee will go through the technical aspects of the tender and recommend short listed firms. The recommendation of the technical committee is the final and binding on all the parties.
- ii. The technical evaluation will be an assessment of the Technical Bid. NIPER, Raebareli representatives will proceed through a detailed evaluation of the Technical Bids as

defined in **Chapter IV (Schedule of requirements, specifications and allied technical details)**, in order to determine whether they are substantially responsive to the requirements set forth in the tender. In order to reach such a determination, NIPER, Raebareli will examine the information supplied by the BIDDERS, and shall evaluate the same as per the specifications mentioned in this tender.

- iii. The technical committee may formulate evaluation criteria in addition to the specifications and requirements indicated in the tender, in the interest of NIPER, Raebareli and these criteria/recommendation will also form as a part of short-listing of the firms.
- iv. The Technical Committee will examine all the Technical aspects of the bids received. Further, the Technical Committee may seek additional information from the existing users at NIPER, Raebareli or from other Institutes and also call for Technical presentations from the BIDDERS if it is required so.
- v. The information received and the bids already submitted together will be examined with reference to the tendered specifications and evaluation is made by the Technical Committee.
- vi. After the technical evaluation is completed and approved, NIPER, Raebareli shall inform to the BIDDERS whose bids have been rejected technically with the reasons for rejection on e-Procurement Portal (<https://eprocure.gov.in/eprocure/app>).
- vii. The successful BIDDERS will be informed regarding the date and time of Commercial bid opening.
- viii. In the event of seeking any clarification from various BIDDERS by NIPER, Raebareli, the BIDDERS are required to furnish only technical clarifications that are asked for. No amendment to commercial bid will be entertained at that stage. In case if a BIDDER fails to quote for a particular item it amounts to non-compliance and hence such bid will not be considered for further evaluation. Further during this process if any BIDDER indicates the price during the clarification such bids also will not be considered for further evaluation.
- ix. The purpose of obtaining two bids (technical and commercial) is to evaluate all the firms on technical basis with reference to the tendered specifications, performance of similar Solutions/Applications elsewhere, obtaining users views with reference to the earlier supplies. This will enable the technical committee to arrive at a fair recommendation in the interest of the organization.
- x. The Institute may call for Technical Presentation/mock-up/demo of the product as a part of the technical evaluation by giving sufficient time for the bidders to make arrangements for the same.

## **10. Commercial Bid Evaluation:**

Based on results of the Technical evaluation NIPER, Raebareli evaluates the Commercial Bid of those Bidders who qualify in the Technical evaluation.

- a) NIPER Raebareli shall correct arithmetical errors on the following basis:
- If there is a discrepancy between the unit price and the line item total that is obtained by multiplying the unit price by the quantity, the unit price shall prevail and the line item total shall be corrected, unless in the opinion of the Purchaser there is an obvious misplacement of the decimal point in the unit price, in which case the line item total as quoted shall govern and the unit price shall be corrected.
  - If there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected; and
  - If there is a discrepancy between words & figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to (i) and (ii) above.
- b) After arriving at final pricing of individual offers of all the short listed firms, the lowest firm will be awarded with Contract/Purchase Order.
- c) If there are any discrepancies in price schedule and tender document please refer to the BOQ in the Central Public Procurement Portal, the BOQ item/words/conditions mentioned in BOQ prevails
- 11.** The Director, NIPER, Raebareli reserves the right to accept the offer in full or in parts or reject summarily or partly.
- 12.** The relatives / near relatives of employees of the client are prohibited from participation in this bid.  
The near relatives for this purpose are defined as:
- Members of a Hindu Undivided Family.
  - Their husband or wife.
  - The one is related to the other in the manner as father, mother, son(s), son's wife (daughter-in-law), daughter(s) & daughter's husband (son-in-law), Brother (s) & brother's wife, sister(s) and sister's husband (brother-in-law).
- 13. Unloading: In Case of Equipment unloading at NIPER Raebareli will be under supplier scope**

## **CHAPTER-2: INSTRUCTIONS TO BIDDERS**

### **1. PREPARATION AND SUBMISSION OF OFFERS:**

- a. Quotation should be submitted directly by the original manufacturer/supplier or its sole authorized distributor/dealer/Indian Agent. In case of bid by authorized dealer/distributor/Indian Agent, the manufacturer authorization should be attached with the technical bid as per **Annexure-‘C’**.

**One Indian Agent can participate in a tender on behalf of one manufacturer only. No offer will be entertained if the same Indian Agent is representing another manufacturer for the same item. Bids from only one authorized distributor/retailer/reseller will be entertained, who has authorization from the company to quote for this tender. Multiple bids from various distributors from the same manufacturer will not be entertained & the company / principle providing multiple authorizations will be rejected from the tender.**

- b. In case a bidder is not doing business within India, it shall furnish the certificate to the effect that the bidder is or will be represented by an agent in India equipped and able to carry out the supply, maintenance, repair obligations etc. during the warranty and post-warranty period or ensure a mechanism at place for carrying out the supply, maintenance, repair obligations etc. during the warranty and post-warranty period.
- c. The bidder shall bear all costs associated with the preparation and submission of its bid irrespective of the conduct or outcome of the bidding process.
- d. The bidder should not indulge in any corrupt, fraudulent, collusive, coercive practices during the entire process of procurement and execution of contract/order. Before the deadline for submission of the bid, NIPER RAEBARELI reserves the right to modify the bidding document and to extend or not to extend the date of submission. Such amendment/modification will be hosted on e-Procurement portal (<https://eprocure.gov.in/eprocure/app>) or on NIPER RAEBARELI website.
- e. Conditional tenders will be summarily rejected.
- f. The Authorization Certificate from the OEM on their letter head must be given clearly authorizing the bidder as their representative for this tender. The details of the tender like the tender number, date and name of the Institute must be clearly mentioned by the OEM in its authorization letter given for submission to the bidder. Failure to submission of this document (or) improper/incomplete/any generic (or) vague documents shall lead to rejection of the bid

### **2. Delivery Period / Timeliness:**

The deliveries & installation must be completed **within 90 days** after placement of purchase order. The time is the essence of the contract. It is mandatory for the BIDDERS who respond to this bid to meet these expectations, as are tightly linked to NIPER, RAEBARELI's plans of completing the project within the time frame.

**3. Security Deposit:**

- a. Within ten (10) days of the award of contract, the vendor shall furnish a Security Deposit amounting to 3% of the purchase order value in the form of Demand Draft/Bank Guarantee **(from scheduled Bank only)** favoring the Director, National Institute of Pharmaceutical Education and Research, Raebareli.
- b. The NIPER will forfeit the 3% security deposit if vendor fails to execute the order as per the Purchase Order. This Security Deposit will be refunded to the vendor only on successful installation of the Furniture.
- c. The Security Deposit should be valid for a period of warranty period as we plan to extend the same as Performance Bank Guarantee.
- d. **Bank Guarantee wherever mentioned in this document may be read as “Bank Guarantee from any Scheduled Bank” only.**

**4. Amalgamation/Acquisition etc.:**

In the event the Manufacturer/Supplier proposes for amalgamation, acquisition or sale of its business to any firm during the contract period, the BUYER/Successor of the Principal Company are liable for execution of the contract and also fulfillment of contractual obligations i.e. supply, installation, commissioning, warranty, maintenance/replacement of spares accessories etc. while submitting your bid, you may confirm this condition.

**5. Bid Validity Period:**

- a. The prices must be valid at least for a period of **180 days** from the date of opening of the Tender. No changes in prices will be acceptable in any condition after opening of tender till the validity of the offer or execution of the order whichever is later
- b. Bid evaluation will be based on the bid prices without taking into consideration the above corrections.

**6. AWARD OF CONTRACT:**

- a. NIPER, RAEBARELI shall award the contract to the technically qualified eligible BIDDER whose bid has been determined as the lowest evaluated commercial bid.
- b. If more than one BIDDER happens to quote the same lowest price, NIPER, RAEBARELI reserves the right to award the contract to more than one BIDDER or any BIDDER.

**7. NIPER Raebareli Right to vary Quantities at the time of Award:**

- a. The NIPER Raebareli reserves the right at the time of Contract award to increase or decrease the quantity of goods and services originally specified in the tender document without any change in unit price or other terms and conditions. Further, at the discretion of the NIPER Raebareli, the quantities in the contract may be enhanced by 25% within the delivery period.

- b. Firms which have already supplied similar equipment to NIPER, RAEBARELI and have not completed required installation/commissioning/after sales service/warranty replacements etc. such firms offer will not be considered for further evaluation and no enquiries thereafter will be entertained.

**8. Cargo Consolidation and Customs Clearance:**

NIPER, RAEBARELI has appointed its own Freight Forwarder and Custom House Agent for all NIPER, imports. Please note that all the consignments have to be routed through their associates only. The address and contact details will be provided at the time of placing the Purchase Order. While submitting your bid, you may confirm this condition.

**9. Fraud and Corruption:**

The NIPER Raebareli requires that bidders, suppliers, contractors and consultants, if any, observe the highest standard of ethics during the procurement and execution of such contracts. In pursuit of this policy,

- a. The terms set forth below are defined as follows:
- i. **“Corrupt practice”** means the offering, giving, receiving, or soliciting, directly or indirectly, of anything of value to influence the action of a public official in the procurement process or in contract execution;
  - ii. **“Fraudulent practice”** means a misrepresentation or omission of facts in order to influence a procurement process or the execution of a contract;
  - iii. **“Collusive practice”** means a scheme or arrangement between two or more bidders, designed to establish bid prices at artificial, noncompetitive levels; and
  - iv. **“Coercive practice”** means harming or threatening to harm, directly or indirectly, persons or their property to influence their participation in the procurement process or affect the execution of a contract;
- b. The NIPER Raebareli will reject a proposal for award if it determines that Bidder recommended for award has, directly or through an agent, engaged in corrupt, fraudulent collusive or coercive practices in competing for the Contract in question

**10. Interpretation of the clauses in the Tender Document / Contract Document**

In case of any ambiguity / dispute in the interpretation of any of the clauses in this Tender Document, **Director, NIPER, RAEBARELI's interpretation of the clauses shall be final and binding on all parties.**



### **CHAPTER - 3 : CONDITIONS OF CONTRACT**

#### **1. Prices:**

Bid prices should be filled in the appropriate format as mentioned in Price Schedule.  
ALL THE BIDDERS SHOULD QUOTE PRICES FOR EACH AND EVERY ITEM SEPERATELY  
ALONG WITH THE CONSOLIDATED PRICES APPLICABLE FOR BOTH INDIGENOUS AND  
IMPORTED ITEMS (if any).

#### **2. For Goods manufactured in India:**

- (i) The price of the goods must be as per the BoQ.
- (ii) In case of BoQ requesting for prices without GST. GST will be paid as per the norms. In the case of BoQ requesting for prices with GST and the bidder quoting without GST, the price quoted by the bidder shall be considered as with GST as per the BoQ and the bidder must be able to supply at the same rate mentioned in the BoQ. No request for additional charges apart from those mentioned in BoQ shall be entertained.
- (iii) The price mentioned in BoQ must be inclusive of transportation, Insurance, loading and unloading and any other local service required for delivering the goods for the desired destination as decided by the NIPER Raebareli. Loading and unloading is strictly in the scope of the bidder. NIPER Raebareli will not provide any manpower/equipment support towards the same. The bidder must ensure all logistics, manpower support, machine and equipment's required (if any) for delivering and installing the equipment at the determined location as informed by the Institute.
- (iv) The installation, commissioning and training charges (If any) must be mentioned as per the BoQ (if requested separately in BoQ) else the price quoted will be taken as inclusive of installation, commissioning and training.
- (v) The institute will not be responsible in case of the bidders failing to include any of the above mentioned prices in their bid. The price mentioned in the BoQ will be final and the bidder has to comply with that, if awarded the tender.
- (vi) **UNLOADING OF THE GOODS AT NIPER RAEBARELI IS STRICTLY IN THE SCOPE OF THE BIDDER. NO MANPOWER WILL BE PROVIDED BY NIPER RAEBARELI.**
- (vii) The goods must be disinfected properly before dispatching.
- (viii) A representative of the successful bidder must be available during the delivery at the Institute & must disinfectant the boxes before delivering again. In case the travel time from dispatch to reach NIPER more than 48 hours.
- (ix) Any financial implication leading to any change deviation from the bid submitted shall be borne by the bidder, of accepting by the Institute.

#### **3. Agency Commission & Services:**

- 3.1. The Indian Agency commission payable in Indian currency only after the receipt of consignment in good condition at our Stores and satisfactory installation and commissioning of the ordered equipment.
- 3.2. Details of services rendered by you as well as after-sales services offered by you are to be made clear in the tender.



4. **Performance Bank Guarantee:**

The 3% Security Deposit which is mentioned above may be extended as Performance Bank Guarantee for a period of warranty period.

5. **Performance Benchmarks:**

The technical evaluation committee needs to be provided with an evaluation system to carry out performance benchmarks.

6. **Pre-installation:**

The BIDDER has to state in detail the Electrical Power/UPS requirements, floor Space, head room, foundation needed and also to state whether Air-conditioned environment is needed to house the system and to run the tests. i.e. pre-installation facilities required for installation may please be intimated in the technical bid. Subsequently, before the consignment lands in NIPER, RAEBARELI the BIDDER shall confirm that the pre-installation requirements are sufficient for installation of the equipment. In other words, the BIDDER should continuously monitor the pre-installation requirements and see that everything is ready before the consignment is taken to the site for installation. Bidders should also bring sufficient technical manpower for verification of pre-installation pre-requisites any requirement mentioned after the arrival of equipment to NIPER Raebareli which may lead to delay in installation may lead to levy of penalty as decided by the institute.

7. **INSTALLATION:**

- i. BIDDER shall be responsible for installation / demonstration wherever applicable and for after sales service during the warranty and thereafter.
- ii. Installation demonstration to be arranged by the supplier free of cost and the same is to be done within 15 days of the arrival of the equipment at site, unless otherwise instructed by the Institute, failing which a penalty of INR 500 per day from the day of actual installation requested by the Institute till the date of installation done by the bidder shall be levied.
- iii. After successful installation what will be the minimum down time of equipment/instrument in case of breakdown. If the identified firm or person fails to put the system into working condition what is the further alternative course of action suggested by you to adhere to minimum down time.
- iv. Sufficient technical manpower and housekeeping manpower must be arranged by the bidder at the time of installation and unloading of the equipment/goods.

8. **INSPECTION:**

- i. The inspection of the system will be done by our technical expert /Scientist in the presence of firm's representative.
- ii. In case of receipt of the material in short supply or damaged condition, the supplier will have to arrange the supplies/ replacement of goods free of cost pending the settlement of the insurance case wherever applicable on FOR at the NIPER R, the institute till satisfactory installation of the system, with in the stipulated time

as decided by the Institute failing which penalty 1% of the total order value per week will be levied.

**9. Training:**

Wherever needed, our Scientist/Technical persons should be trained by the supplier at the project site free of cost. In case the person is to be trained at supplier's site abroad or in India it should be mentioned in the quotation clearly. The supplier should bear all the expenses for such training including 'to & fro' fares and lodging & boarding charges.

**10. Warranty / Support:** A clear confirmation on letter head should be given for this item along with acceptance to the points mentioned below: -

- a) The items covered by the schedule of requirement shall carry minimum Three years of comprehensive warranty from the date of acceptance of the equipment by NIPER Raebareli. Warranty shall include free maintenance of the whole equipment supplied including freereplacement of parts. The defects, if any, shall be attended to on immediate basis but in no case any defect should prolong for more than 24 hours. The comprehensive warranty includes onsite warranty with parts. The defects, if any, shall be attended to on immediate basis but in no case any defect should prolong for more than 24 hours, failing which penalty INR 5000 per day would be levied and same shall be deducted from Performance Bank Guarantee. The same has to be accepted by the bidder and acceptance for the same has to be mentioned on the letter head in the technical bid.
- b) The turnaround time for resolving of any issue in case of indigenous bidders is 15 days and in case of import is 30 days from the date of intimation by the institute. Any delay in resolving the issue beyond the stipulated period mentioned above shall lead to extension of warranty period and forfeiture of the PBG.
- c) The defects, if any, during the guarantee/warranty period are to be rectified free of charge by arranging free replacement wherever necessary. This includes cost, insurance, freight, custom duty, local taxes if any should be borne by the beneficiary or his agent. No cost will be borne by NIPER Raebareli.
- d) The warranty on the associated software should cover providing of upgraded version/s, if any, released during the warranty period free of cost. The turnaround time for resolving of any issue in case of indigenous bidders 15 days and in case of import is 30 days from the date of intimation from institute via e-mail any delay in resolving the issue will lead to forfeiture of their PBG. The delay in resolving the issue beyond the stipulated period mentioned above shall lead to extension of warranty period.
- e) The BIDDER shall assure the supply of spare parts even the completion of after warranty period maintenance of the equipment supplied if and when required for a period of 10 years from the date of supply of equipment on payment on approved price list basis.
- f) The equipment must be supported by a Service Centre in UTTAR Pradesh manned by the principal vendor's technical support engineers. The support through this Centre must be available 24 hours in a day, seven days a week and 365 days a year. Also it should be

possible to contact the Principal's/Head office support Centre on a toll free number/web/mail.

- g) An undertaking from the manufacturer is required in this regard stating that they would facilitate the BIDDER on regular basis with technology / product updates & extend support for the warranty as well is to be submitted also mentioning the life of the equipment as mentioned in point (iv) alone.
- h) The vendor will have to arrange for all the testing equipment & tools required for installation, testing & maintenance etc.
- i) It is desirable that the vendor may have a local logistics support by maintaining a local spares depot in the state. This is to ensure immediate delivery of spares parts in case of any malfunction of the equipment.
- j) Details of onsite warranty, agency who shall maintain during warranty and undertake Annual Maintenance Contract/Comprehensive Service Maintenance Contract beyond warranty shall be given in the offer. In case of foreign quote, the Indian Agent who shall maintain during warranty and AMC beyond warranty shall be given in the Technical Offer
- k) **COMMENCEMENT OF WARRANTY PERIOD:** The warranty period of an item shall commence from the date of successful installation, commissioning and demonstration at NIPER Raebareli. The warranty period and validity of Performance Guarantee shall be extended for the period of delay in satisfactory installation and delay in warranty services.

**11. Reasonability of Prices:**

- i) The prices quoted must be the prices applicable for a premiere Educational and Research Institute in national importance, as applicable to educational research institutes must be given.
- ii) The bidder must give details of identical or similar equipment, if any, supplied to any Centrally Funded Technical Institutes CFTI's/NIPERS/ CSIR lab/Education Research Institute during last three years along with the final price paid and Performance certificate from them.

**12. Annual Maintenance Contract:**

- 12.1. The party must mention in the quotation, the rate/amount of annual maintenance charges, if we opt for maintenance contract after expiry of the warranty period. This is mandatory to mention, wherever applicable.
  - a. No sub-contracting will be allowed for installation or maintaining system/equipment / instrument during or after warranty period.

**13. Indemnity:**

The vendor shall indemnify, protect and save NIPER, Raebareli against all claims, losses, costs, damages, expenses, action suits and other proceeding, resulting from infringement of any law pertaining to patent, trademarks, copyrights etc. or such other statutory infringements in respect of all the equipment's supplied by him.

**14. Freight & Insurance:**

14.1. Indigenous : The equipment's to be supplied will be insured by the vendor against all risks of loss or damage from the date of shipment till such time it is delivered at NIPER, RAEBARELI site in case of Rupee transaction.

**15. Payment:**

- a. For Indigenous items, 90% payment shall be made against delivery, installation, commissioning and balance 10% on demonstration of the whole system to the satisfaction of the Institute/ Scientist/Technologist/Indentor/Faculty etc.
- b. If the PBG submitted as per Chapter 2 Clause No 3, requires extension to cover the Warranty Period the same will be done before release of the balance 10% Payment. Please note that the warranty period will be extended in case of non-resolving of issues in a stipulated time given by the institute as mentioned above.
- c. No advance payments are allowed under any circumstances.

**16. Penalty for delayed Services / LD:**

- 16.1. As time is the essence of the contract, Delivery period mentioned in the Purchase Order should be strictly adhered to. Failing which the Institute will forfeit PBG/SD and also LD clause will be applicable /enforced.
- 16.2. If the supplier fails to Supply, Install and Commission the system as per specifications mentioned in the order within the due date, the Supplier is liable to pay liquidated damages of 1% of order value per every week of delay subject to a maximum of 10% beyond the due date. Such money will be deducted from any amount due or which may become due to the supplier.
- 16.3. NIPER, RAEBARELI reserves the right to cancel the order in case the delay is more than 10 weeks. Penalties, if any, will be deducted from the Security Deposit.

**17. Jurisdiction:**

The disputes, legal matters, court matters, if any, shall be subject to Lucknow Jurisdiction only.

**18. Force Majeure:**

NIPER-R may consider relaxing the penalty and delivery requirements, as specified in this document, if and to the extent that the delay in performance or other failure to perform its obligations under the Contract, is the result of a Force Majeure. Force Majeure is defined as an event of effect that cannot reasonably be anticipated such as

acts of God (like earthquakes, floods, storms etc.) acts of states, the direct and indirect consequences

of wars (declared or undeclared) hostilities, national emergencies, civil commotion and strikes at successful Bidder's premises. The bidder will immediately notify the NIPER Raebareli by reasonable detail of the Force Majeure Event. If a Force Majeure Event continues for more than 30 days, the Institute may cancel the purchase order issued, without liability.

#### **19. Discrepancies**

If there are any discrepancies in price schedule and tender document please refer to the BOQ in the Central Public Procurement Portal, the BOQ item/words/conditions mentioned in BOQ prevails.

#### **20. Public Procurement (Preference to Make in India), Order 2017:**

This Institute is following and abide with the Public Procurement (Preference to Make in India), Order 2017, DIPP, MoCI Order No. P-45021/2/2017-B.E.II dated 15th June 2017 and subsequent amendments to the order. Accordingly, preference will be given to the Make in India products while evaluating the bids, subject to technically qualifying & meeting the Institute's technical requirements. however, it is the sole responsibility of the bidder(s) to specify the product quoted by them is of Make in India product along with respective documentary evidence as stipulated in the aforesaid order and the quality as mentioned in the tender in the technical bid itself.

- a) NIPER Raebareli shall compare all substantially responsive bids to determine the lowest valuated bid. This Institute is following and abide with the Public Procurement (Preference to Make in India), Order 2017, DIPP, MoCI Order No. P-45021/2/2017-B.E.II dated 15th June 2017 and its subsequent amendments. Accordingly, preference will be given to the Make in India products while evaluating the bids, however, it is the sole responsibility of the bidder(s) to specify the product quoted by them is of Make in India product along with respective documentary evidence as stipulated in the aforesaid order in the technical bid itself.
- b) As per the above order and its subsequent amendments "Local Content" means the amount of value added in India which shall be value of the item procured (excluding net domestic indirect taxes) minus the value of the imported content in the item (including all the custom duties) as a proportion of the total value, in percent. Accordingly, the suppliers will be classified in following categories.
  - i) Class I local Supplier – has local content equal to more than 50%
  - ii) Class II local Supplier – has local content more than 20% but less than 50%

#### **(c) Verification of Local Content:**

The Class I Local Supplier /Class II Local Supplier/Non-Local Supplier at the time of bidding shall be required to indicate the percentage of local content and provide self-certification that the items offered meet the local content requirement. The

details of the location(s) at which the local value addition is made also needs to be specified.

In case of procurement in excess of Rs.10 crores, the suppliers shall be required to provide the certificate from the statutory auditor or cost auditor of the company giving the percentage of local content.

**Note:**

In case a complaint is received by the procuring agency or the concerned Ministry/Department against the claim of a bidder regarding local content/ domestic value addition in an electronic product, the same shall be referred to NIPER Raebareli.

Any complaint referred to NIPER RAEBARELI shall be disposed of within 4 weeks. The bidder shall be required to furnish the necessary documentation in support of the domestic value addition claimed in an electronic product to NIPER RAEBARELI. If no information is furnished by the bidder, such laboratories may take further necessary action, to establish the bonfires of the claim.

A complaint fee of Rs.2 Lakh or 1% of the value of the domestically manufactured electronic products being procured (subject to a maximum of Rs. 5 Lakh), whichever is higher, to be paid by Demand Draft to be deposited with NIPER RAEBARELI. In case, the complaint is found to be incorrect, the complaint fee shall be forfeited. In case, the complaint is upheld and found to be substantially correct, deposited fee of the complainant would be refunded without any interest.

False declarations will be in breach of the Code of Integrity under Rule 175(1)(i)(h) of the General Financial Rules for which a bidder or its successors can be debarred for up to two years as per Rule 151 (iii) of the General Financial Rules along with such other actions as may be permissible under law.

**The bidders can be debarred for a period up to two years as, per Rule 151(iii) of GFR 2017, in case of false declaration.**

**21. Requirement of registration:**

Vide Ministry of Finance OM No. 6/18/2019-PPD dated 23rd July 2020.

- i. Any bidder from a country sharing a land border with India will be eligible to bid in this tender only if the bidder is registered with the Department for Promotion of Industry and Internal Trade (DPIIT).
- ii. "Bidder" (including the term 'tenderer', 'consultant' or 'service provider' in certain contexts) means any person or firm or company, including any member of a consortium or joint venture (that is an association of several persons, or firms or companies), every artificial juridical person not falling in any of the descriptions of bidders stated hereinbefore, including any agency branch or office controlled by such person, participating in a procurement process.



- iii. "Bidder from a country which shares a land border with India" for the purpose of this Order means:
- a) An entity incorporated, established or registered in such a country; or
  - b) A subsidiary of an entity incorporated, established or registered in such a country; or
  - c) An entity substantially controlled through entities incorporated, established or registered in such a country; or
  - d) An entity whose beneficial owner is situated in such a country; or
  - e) An Indian (or other) agent of such an entity; or
  - f) A natural person who is a citizen of such a country; or
  - g) A consortium or joint venture where any member of the consortium or joint venture falls under any of the above

For details about registration procedures please visit the above mentioned OM. Mandatory documentary evidence regarding the bidder's registration with DPIIT is to be submitted along with the tender, failing which the tender shall be liable for rejection. Bidders are also requested to submit the Model Certificates for this tender as mentioned in the Ministry of Finance OM No. 6/18/2019-PPD dated 23rd July 2020.

## **23. Arbitration**

All disputes of any kind arising out of supply, commissioning, acceptance, warranty maintenance etc. shall be referred by either party (NIPER RAEBARELI or the bidder) after issuance of 30 days' notice in writing to the other party clearly mentioning the nature of dispute to a single arbitrator acceptable to both the parties. The venue for arbitration shall be NIPER RAEBARELI. The jurisdiction of the courts shall be Lucknow, Uttar Pradesh, India.

## **24. Dispute Settlement:**

NIPER RAEBARELI and the Supplier shall make every effort to resolve amicably by direct informal negotiation any disagreement or dispute arising between them under or in connection with the Contract.

If, after twenty-one (21) days, the parties have failed to resolve their dispute or difference by such mutual consultation, then either the NIPER RAEBARELI or the Supplier may give notice to the other party of its intention to commence arbitration, as hereinafter provided, as to the matter in dispute, and no arbitration in respect of this matter may be commenced unless such notice is given. Any dispute or difference in respect of which a notice of intention to commence arbitration has been given in accordance with this Clause shall be finally settled by arbitration. Arbitration may be commenced prior to or after delivery of the Goods under the Contract.

The dispute settlement mechanism/arbitration proceedings shall be concluded as under:



In case of Dispute or difference arising between the NIPER RAEBARELI and a domestic supplier relating to any matter arising out of or connected with this agreement, such disputes or difference shall be settled in accordance with the Indian Arbitration & Conciliation Act, 1996, the rules there under and any statutory modifications or re-enactments thereof shall apply to the arbitration proceedings. The dispute shall be referred to the Director NIPER RAEBARELI, if he is unable/ unwilling to act, to the sole arbitration of some other person appointed by him willing to act as such Arbitrator. The award of the arbitrator so appointed shall be final, conclusive and binding on all parties to this order.

The venue of the arbitration shall be the place from where the purchase order or contract is issued.

**Registrar**

## **CHAPTER 4 LAYOUT & TECHNICAL SPECIFICATIONS**

### **Lab Furniture**

1. Manufacturer should have valid SEFA Membership during last 5 years and ASHRAE Membership certificate for Fume Hoods.
2. OEMs (Vendors/Bidders) should have valid ISO – 9001: 2015 and ISO – 14001:2015 certifications.
3. Manufacturer shall have a minimum 05 (Five) years of experience in supplying and installing of SIMILAR TYPE OF JOB in a government organization (at State/National/ International level) as on tender submission deadline. Name, address/contact details or supply orders of the present and past clients should be provided with the tender document to attest the work experience.
4. Proof of Registration of the bidder under relevant law, such as Companies Act, and / or Shops & Establishment Act or Trade License from appropriate authority.
5. A latest certificate (Affidavit) to be signed by authorized person of the company that they haven't been debarred or blacklisted for any services, supplies or products dealing in, by any organizations or educational Institute/ University or state/ central government and no criminal case/legal proceeding or industrial dispute is pending or contemplated against them.
6. The bidder/vendor must submit copies of acknowledgement of Income Tax return for the last three financial years. Vendor / Bidder must upload the scanned copy of PAN Card, Factory License, and GST Registration Certificate
7. Manufacturer or its authorized dealer should submit Test Certificates of SEFA 8-M and SEFA 10M with latest 2016 guidelines for Laboratory Furniture.
8. **INFRASTRUCTURE:** The Vendor / Bidder or its parent company should have a well – established (their own) in – house manufacturing unit for the steel Laboratory Furniture and Fume Hoods, quality management system as per International Standards providing the products and services on the continuous basis at least for the last 10 years. The Vendors/ Bidders or its parent company in India or abroad should possess the current / valid approval for such items manufacturing facility by a statutory certifying authority, like Factory Inspector etc.
9. **FINANCIAL TURNOVER:** Vendors / Bidders should provide certified documentary evidence of having an **average** annual financial turnover of Rs. 5 Crs. (Five Crores) over the past 3 (three) years i.e. 2018 - 19 and 2019-20 and 2020-21, ending 31<sup>st</sup> March, 2021.
10. The Vendors / Bidders should not have incurred any loss during the last 5 (five) years (as of 31<sup>st</sup> March, 2021). Profit after Tax should be positive for the above mentioned period.
11. **WORK EXPERIENCE:** The Vendors / Bidders should have work experience as per following parameters:
  - a) Three similar completed work costing not less than 40% of Estimated cost in last 3 (three) years for Centrally Funded Technical Institutes (CFTI) which includes IITs, IISERs, IIMs, NITs, IIITs, NITTTRs, IISc and IEST), CSIR Institutes, Central Universities and /or DAE Institutes (NISER, TIFR) where they have completed the similar works including Laboratory Furniture and related accessories in air- conditioned Laboratories.
  - b) **Two similar completed work costing not less than 50% of Estimated cost in last 3 (three)**

years for Centrally Funded Technical Institutes (CFTI) which includes IITs, IISERs, IIMs, NITs, IIITs, NITTTRs, IISc and IEST), CSIR Institutes, Central Universities and /or DAE Institutes (NISER, TIFR) where they have completed the similar works including Laboratory Furniture and related accessories in air- conditioned Laboratories.

- c) One similar completed work costing not less than 80% of Estimated cost in last 3 (three) years for Centrally Funded Technical Institutes (CFTI) which includes IITs, IISERs, IIMs, NITs, IIITs, NITTTRs, IISc and IEST), CSIR Institutes, Central Universities and /or DAE Institutes (NISER, TIFR) where they have completed the similar works including Laboratory Furniture and related accessories in air- conditioned Laboratories.

Supportive documents like copy of P.O. and completion certificate should be uploaded in this regard.

***Material of Construction:-***

Completely made of **1 mm GI** (Galvanized Iron) sheets. All GI sheet components (TATA Steel / SAIL / Jindal Make) should be fabricated by precision shearing, levelling, notching, piercing, machines to achieve consolidated dimensions within close tolerances under the strict quality checks and assembled with the aid of fixtures. Exposed welding marks should be polished smooth to improve aesthetic. Corner intersections of vertical and horizontal members should be in the same plane with bolted joints and should be suitably aligned.

The design should have provision for reconfiguration for change in layout using simple tooling and should provide independent access to the utilities installed, electrical panel & instrumentation panel.

***Work Top:-***

Made of (16 to 18mm) thick Jet Black Granite Top with chamfer moulding at the front & groove at the bottom to avoid chemical spillage on the modules. Worktop should be fixed with the module by foam tape. All joints should be sealed through Epoxy sealant.

***Module:-***

Completely made of 1 mm GI sheets as per IS 277 standard. The sound deadening plastic bumpers to be used while closing the shutter. The entire module should be made up of GI panels and bolted/riveted for achieving maximum strength with high corrosion resistance. The shutters or doors should be mounted to the modules by hinges which should be openable to 95 degree. Drawers should be mounted with the ball bearing based telescopic slides which should be sturdy & able to take load upto 30kg. This must include the provision of lock and key.

***Module Bottom Frame:-***

Made of E.R.W.M.S. square Tubes 30x30mm x 1.2mm thick & angles 25x25mm x 1.2mm thick welded & finished with epoxy powder coating. Level adjustment bolt should be fitted in all legs which should have nylon coated head.

***Knee Space area :-***

Foot rest with openable back cover panel. It must be adjustable  $\pm 100$  mm. Instrumentation and Sitting area knee space need to be 600 or 750 mm.

***Reagent Rack:-***

Side Table: Reagent Rack should be of 190mmD X 1200mmH  
Island Table: Reagent Rack should be of 300mmD X 600mmH

**Wall Mounted Storage Cabinet** should be suitable for mounting on wall. The cabinet should be fabricated out of galvanized iron sheets. Cabinet should be provided with 1 adjustable shelf. Proper design, stiffening / structural members should be provided for strength and rigidity. Front door of the cabinet should be in twin door design having glass panel with metallic frame in galvanized iron construction.

***Electrical Trunking:-***

Island Table: Triangular Electrical Trunking of 200mmD x 120mmH

Wall Table: Triangular Electrical Trunking of 120mmD x 120mmH

**Wiring from connector to DB will be in client's scope**

***Switch & Sockets:-***

Electrical Socket With Piano Switch 5/15Amp With Wiring (2.5 Sq.mm FRLS)

***LAN (Data) Points:-***

RJ-45 type Data point fixed in electrical trunking.

***Voice (Telephone) Points:-***

RJ-11 type Telephone points fixed in electrical trunking.

***Powder Coating:-***

Complete module & frame work processed with multitank pre-treatment and finished with highly corrosion resistant epoxy powder coating of 70 - 80 microns thickness. The paint surface should be tested for quality and longevity out of which 1000 hours salt spray test is important factor.

**HARDWARE FITTINGS: (As per attached layout)**

**A) Hinges :-** CED coated. Five knuckle Barrel type butt hinges

**B) Handle :-** SS304 Matt Finish D Handle / Aluminium Flush Handle.


**C) Screw :-** All S.S. 304 Visible Screws.

**D) Lock :-** With pair of Keys.


**E) Drawer Channel :-** Common sleeve telescopic drawer slides – 45kgs

**F) Utility Taps:-** Epoxy powder coated brass taps.

Layout no: 1(A)



Layout no: 1(B)



SR. NO.	ITEM DESCRIPTION	UNIT	QTY	AMOUNT
1	<b>Lab Furniture as per Layout 1(A)</b>			
2	<b>Table No. 1</b>			
3	Granite worktop (16 to 18 mm)	Sq. Ft.	15.00	
4	Leg Space-600 mm(L) with Foot Rest And Back Panel(size:-600 mm(L) x 475 mm(H))	Nos.	2.00	
5	Gap Closing Panel ( Table 1800 mm(W))- 600 mm(W) X 575 mm(H)	Nos.	1.00	
6	Gap Closing Panel for L stand ( Table 750 mm(H))- 488 mm(W) X 493 mm(H)	Nos.	4.00	
7	Elect Trunking Box Str. Two side With wiring (Island Table)660 mm(L) X 200 mm(W) X 120 mm(H)	Nos.	1.00	
8	Electrical Data Point Without Wiring	Nos.	2.00	
9	Elect. Socket With Piano Switch 5/15Amp With Wiring	Nos.	4.00	
10	Granite Support Patti Island Table (1800 mm(W)) - 600 mm(L) X 40 mm(W)	Nos.	2.00	
11	Frame Table - 660L X 1740D X 750HT.	Nos.	1.00	
12	<b>Total for Table no. 1</b>			
13	<b>Table No. 2</b>			
14	Granite worktop (16 to 18 mm)	Sq. Ft.	62.00	
15	1 Drawer & 2 Shutters- 750 mm(L)	Nos.	4.00	
16	175 mm(H) Pedestal - 750 mm	Nos.	4.00	
17	Leg Space-610 mm(L) with Foot Rest And Back Panel(size:-610 mm(L) x 575 mm(H))	Nos.	4.00	
18	Gap Closing Panel for L stand ( Table 900 mm(H))- 488 mm(W) X 643 mm(H)	Nos.	2.00	
19	Reagent Rack:2 Tier Str. with Switch & Sockets w/o Wiring with 3mm Friction Glass 1350 mm(L) X 300 mm(W) X 600 mm(H)	Nos.	2.00	
20	Elect. Socket With Piano Switch 5/15Amp With Wiring	Nos.	8.00	
21	L Type End Support Stand 630 mm(L) X 550 mm(W) X 850 mm(H)	Nos.	2.00	
22	Granite Support Patti Island Table (1800 mm(W)) - 600 mm(L) X 40 mm(W)	Nos.	5.00	
23	<b>Total for Table no. 2</b>			
24	<b>Table No. 3</b>			
25	Granite worktop (16 to 18 mm)	Sq. Ft.	15.00	
26	Leg Space-600 mm(L) with Foot Rest And Back Panel(size:-600 mm(L) x 475 mm(H))	Nos.	2.00	
27	Gap Closing Panel ( Table 1800 mm(W))- 600 mm(W) X 575 mm(H)	Nos.	1.00	



28	Gap Closing Panel for L stand ( Table 750 mm(H))- 488 mm(W) X 493 mm(H)	Nos.	4.00
29	Elect Trunking Box Str. Two side With wiring (Island Table)660 mm(L) X 200 mm(W) X 120 mm(H)	Nos.	1.00
30	Electrical Data Point Without Wiring	Nos.	2.00
31	Elect. Socket With Piano Switch 5/15Amp With Wiring	Nos.	4.00
32	Granite Support Patti Island Table (1800 mm(W)) - 600 mm(L) X 40 mm(W)	Nos.	2.00
33	Frame Table - 660L X 1740D X 750HT.	Nos.	1.00
34	<b>Total for Table no. 3</b>		
24	<b>Table No. 4</b>		
25	Granite worktop (16 to 18 mm)	Sq. Ft.	105.00
26	1 Drawer & 2 Shutters- 600 mm(L)	Nos.	8.00
27	2 Shutters Sink Unit -1740 mm(L)x 750 mm (D)	Nos.	1.00
28	175 mm(H) Pedestal - 1740 mm X 750 mm	Nos.	1.00
29	175 mm(H) Pedestal - 600 mm	Nos.	8.00
30	Leg Space-600 mm(L) with Foot Rest And Back Panel(size:-600 mm(L) x 575 mm(H))	Nos.	6.00
31	Gap Closing Panel ( Table 1800 mm(W) )- 600 mm(W) X 675 mm(H)	Nos.	1.00
32	Reagent Rack:2 Tier Str. 1350 mm(L) X 300 mm(W) X 600 mm(H)	Nos.	2.00
33	Reagent Rack:2 Tier Str. 1500 mm(L) X 300 mm(W) X 600 mm(H)	Nos.	1.00
34	Elect. Socket With Piano Switch 5/15Amp With Wiring	Nos.	14.00
35	3 Way Gooseneck Water Tap, Type Code 100/32 (Broen)	Nos.	1.00
36	Big PP Sink - 600L X 450W X 300D mm	Nos.	1.00
37	Furniture Peg Board Big Size: 750Mm L X 750Mm H ( 33 Pegs.) With Ss Collection Tray.	Nos.	1.00
38	Granite Support Patti Island Table (1800 mm(W)) - 600 mm(L) X 40 mm(W)	Nos.	8.00
39	<b>Total for Table no. 4</b>		
40	<b>Table No. 5</b>		
41	Granite worktop (16 to 18 mm)	Sq. Ft.	20.00
42	Leg Space-750 mm(L) with Foot Rest And Back Panel(size:-750 mm(L) x 475 mm(H))	Nos.	2.00
43	Gap Closing Panel ( Table 1800 mm(W))- 600 mm(W) X 575 mm(H)	Nos.	2.00
44	Gap Closing Panel for L stand ( Table 750 mm(H))- 488 mm(W) X 493 mm(H)	Nos.	4.00
45	Elect Trunking Box Str. Two side With wiring (Island Table)810 mm(L) X 200 mm(W) X 120 mm(H)	Nos.	1.00
46	Electrical Data Point Without Wiring	Nos.	2.00

47	Elect. Socket With Piano Switch 5/15Amp With Wiring	Nos.	4.00	
48	Frame Table - 810L X 1740D X 750HT.	Nos.	1.00	
49	<b>Total for Table no. 5</b>			
50	<b>Table No. 6</b>			
51	Granite worktop (16 to 18 mm)	Sq. Ft.	12.00	
52	Leg Space-750 mm(L) with Foot Rest And Back Panel(size:-750 mm(L) x 475 mm(H))	Nos.	1.00	
53	Gap Closing Panel for L stand ( Table 750 mm(H))- 488 mm(W) X 493 mm(H)	Nos.	2.00	
54	Elect Trunking Box Str. Single side With wiring (Wall Table)810 mm(L) X 120 mm(W) X 120 mm(H)	Nos.	1.00	
55	Electrical Data Point Without Wiring	Nos.	1.00	
56	Elect. Socket With Piano Switch 5/15Amp With Wiring	Nos.	2.00	
57	Granite Support on Back Side 'L' Angle ['L'-250Mmx250Mm]	Nos.	2.00	
58	Frame Table - 810L X 1740D X 750HT.	Nos.	1.00	
59	<b>Total for Table no. 6</b>			
49	<b>Table No. 7</b>			
50	Granite worktop (16 to 18 mm)	Sq. Ft.	80.00	
51	1 Drawer & 2 Shutters- 600 mm(L)	Nos.	6.00	
52	2 Shutters Sink Unit -1740 mm(L)x 750 mm (D)	Nos.	1.00	
53	175 mm(H) Pedestal - 1740 mm X 750 mm	Nos.	1.00	
54	175 mm(H) Pedestal - 600 mm	Nos.	6.00	
55	Leg Space-600 mm(L) with Foot Rest And Back Panel(size:-600 mm(L) x 575 mm(H))	Nos.	4.00	
56	Reagent Rack:2 Tier Str. 1200 mm(L) X 150 mm(W) X 600 mm(H)	Nos.	2.00	
57	Reagent Rack:2 Tier Str. 900 mm(L) X 300 mm(W) X 600 mm(H)	Nos.	2.00	
58	Elect. Socket With Piano Switch 5/15Amp With Wiring	Nos.	10.00	
59	3 Way Gooseneck Water Tap, Type Code 100/32 (Broen)	Nos.	1.00	
60	Furniture Peg Board Big Size: 750Mm L X 750Mm H ( 33 Pegs.) With Ss Collection Tray.	Nos.	1.00	
61	Big PP Sink - 600L X 450W X 300D mm	Nos.	1.00	
62	Granite Support on Back Side 'L' Angle ['L'-250Mmx250Mm]	Nos.	4.00	
63	Granite Support Patti Island Table (1800 mm(W)) - 600 mm(L) X 40 mm(W)	Nos.	4.00	
64	<b>Total for Table no. 7</b>			
54	<b>Table No. 8</b>			
55	Granite worktop (16 to 18 mm)	Sq. Ft.	58.00	
56	1 Drawer & 2 Shutters- 750 mm(L)	Nos.	4.00	
57	175 mm(H) Pedestal - 750 mm	Nos.	4.00	
58	Leg Space-600 mm(L) with Foot Rest And Back Panel(size:-600 mm(L) x 575 mm(H))	Nos.	4.00	


59	Gap Closing Panel ( Table 1500 mm(W)/900 mm(W))- 300 mm(W) X 675 mm(H)	Nos.	1.00
60	Gap Closing Panel for L stand ( Table 900 mm(H))- 488 mm(W) X 643 mm(H)	Nos.	1.00
61	Gap Closing Panel ( Table 1500 mm(W)/900 mm(W))- 300 mm(W) X 575 mm(H)	Nos.	1.00
62	Elect Trunking Box Str. Single side With wiring (Wall Table)630 mm(L) X 120 mm(W) X 120 mm(H)	Nos.	1.00
63	Elect Trunking Box Str. Single side With wiring (Wall Table)750 mm(L) X 120 mm(W) X 120 mm(H)	Nos.	1.00
64	Elect Trunking Box Str. Single side With wiring (Wall Table)1350 mm(L) X 120 mm(W) X 120 mm(H)	Nos.	3.00
65	Elect. Socket With Piano Switch 5/15Amp With Wiring (2.5 Sq.mm FRLS)	Nos.	8.00
66	Wall Mounted Overhead File Cabinets (Float Glass Door) GI Structure 2 Shutter with 1 adjustable shelf Size -750 mm (L) x 370 mm (D) x 750 mm (H)	Nos.	7.00
67	L Type End Support Stand 630 mm(L) X 550 mm(W) X 850 mm(H)	Nos.	1.00
68	Granite Support on Back Side 'L' Angle ['L'-250Mmx250Mm]	Nos.	9.00
69	<b>Total for Table no. 8</b>		
70	<b>Table No. 9</b>		
71	Granite worktop (16 to 18 mm)	Sq. Ft.	27.00
72	1 Drawer & 2 Shutters- 600 mm(L)	Nos.	2.00
73	175 mm(H) Pedestal - 600 mm	Nos.	2.00
74	Leg Space-600 mm(L) with Foot Rest And Back Panel(size:-600 mm(L) x 575 mm(H))	Nos.	2.00
75	Gap Closing Panel for L stand ( Table 900 mm(H))- 488 mm(W) X 643 mm(H)	Nos.	1.00
76	Reagent Rack:2 Tier Str. 1200 mm(L) X 150 mm(W) X 600 mm(H)	Nos.	2.00
77	Elect. Socket With Piano Switch 5/15Amp With Wiring	Nos.	4.00
78	Granite Support on Back Side 'L' Angle ['L'-250Mmx250Mm]	Nos.	5.00
79	L Type End Support Stand 630 mm(L) X 550 mm(W) X 850 mm(H)	Nos.	1.00
80	<b>Total for Table no. 9</b>		
81	<b>Table No. 10</b>		
82	Granite worktop (16 to 18 mm)	Sq. Ft.	11.00
83	Leg Space-670 mm(L) with Foot Rest And Back Panel(size:-670 mm(L) x 475 mm(H))	Nos.	1.00
84	Gap Closing Panel for L stand ( Table 750 mm(H))- 488 mm(W) X 493 mm(H)	Nos.	2.00
85	Elect Trunking Box Str. Single side With wiring (Wall Table)730 mm(L) X 120 mm(W) X 120 mm(H)	Nos.	1.00
86	Electrical Data Point Without Wiring	Nos.	1.00

87	Elect. Socket With Piano Switch 5/15Amp Without Wiring	Nos.	2.00	
88	Granite Support on Back Side 'L' Angle ['L'-250Mmx250Mm]	Nos.	2.00	
89	Frame Table - 730L X 570D X 750HT.	Nos.	1.00	
90	<b>Total for Table no. 10</b>			
91	<b>Wall Cabinets</b>			
92	Wall Mounted Overhead File Cabinets (Float Glass Door) GI Structure 2 Shutter with 1 adjustable shelf Size -750 mm (L) x 370 mm (D) x 750 mm (H)	Nos.	13.00	
93	<b>Total for Wall Cabinets</b>			
94	75 mm Aluminum Partition dust free patition (per SQFT rate should also be quoted)	SQFT	400	
96	<b>Lab Furniture as per Layout no. 1(B)</b>			
97	<b>Table No. 1</b>			
98	Granite worktop (16 to 18 mm)	Sq. Ft.	140.00	
99	1 Drawer & 2 Shutters- 600 mm(L)	Nos.	1.00	
100	1 Drawer & 2 Shutters- 750 mm(L)	Nos.	7.00	
101	1 Shutter Corner Sink Unit:- 900 mm(L) X 900 mm (D)	Nos.	1.00	
102	175 mm(H) Pedestal - 600 mm	Nos.	1.00	
103	175 mm(H) Pedestal - 750 mm	Nos.	8.00	
104	Leg Space-600 mm(L) with Foot Rest And Back Panel(size:-600 mm(L) x 575 mm(H))	Nos.	1.00	
105	Leg Space-750 mm(L) with Foot Rest And Back Panel(size:-750 mm(L) x 575 mm(H))	Nos.	6.00	
106	Gap Closing Panel ( Table 1500 mm(W)/900 mm(W))- 300 mm(W) X 675 mm(H)	Nos.	1.00	
107	Gap Closing Panel for L stand ( Table 900 mm(H))- 488 mm(W) X 643 mm(H)	Nos.	3.00	
108	Elect Trunking Box Str. Single side With wiring (Wall Table)690 mm(L) X 120 mm(W) X 120 mm(H)	Nos.	1.00	
109	Elect Trunking Box Str. Single side With wiring (Wall Table)1350 mm(L) X 120 mm(W) X 120 mm(H)	Nos.	1.00	
110	Elect Trunking Box Str. Single side With wiring (Wall Table)1500 mm(L) X 120 mm(W) X 120 mm(H)	Nos.	2.00	
111	Elect Trunking Box Str. Single side With wiring (Wall Table)1510 mm(L) X 120 mm(W) X 120 mm(H)	Nos.	1.00	
112	Elect Trunking Box Str. Single side With wiring (Wall Table)1530 mm(L) X 120 mm(W) X 120 mm(H)	Nos.	3.00	
113	Elect. Socket With Piano Switch 5/15Amp With Wiring (2.5 Sq.mm FRLS)	Nos.	15.00	
114	Wall Mounted Overhead File Cabinets (Float Glass Door) GI Structure 2 Shutter with 1 adjustable shelf Size -750 mm (L) x 370 mm (D) x 750 mm (H)	Nos.	5.00	
115	3 Way Gooseneck Water Tap, Type Code 100/32 (Broen)	Nos.	1.00	
116	Big PP Sink - 600L X 450W X 300D mm	Nos.	1.00	
117	L Type End Support Stand 780 mm(L) X 550 mm(W) X 850 mm(H)	Nos.	3.00	

118	Granite Support on Back Side 'L' Angle ['L'-250Mmx250Mm]	Nos.	19.00	
119	Granite Support [ - Table Height 900Mm ] - 600mmL X 300Mm D X 850Mm H (Refer Drawing)	Nos.	3.00	
120	- Furniture Front Closing Panel-300 mm(L)	Nos.	2.00	
121	<b>Total for Table no. 1</b>			
122	<b>Table No. 2</b>			
123	Granite worktop (16 to 18 mm)	Sq. Ft.	89.00	
124	1 Drawer & 2 Shutters- 600 mm(L)	Nos.	4.00	
125	1 Drawer & 2 Shutters- 750 mm(L)	Nos.	4.00	
126	175 mm(H) Pedestal - 600 mm	Nos.	4.00	
127	175 mm(H) Pedestal - 750 mm	Nos.	4.00	
128	Leg Space-750 mm(L) with Foot Rest And Back Panel(size:-750 mm(L) x 575 mm(H))	Nos.	6.00	
129	Gap Closing Panel ( Table 1500 mm(W)/900 mm(W))- 300 mm(W) X 675 mm(H)	Nos.	2.00	
130	Reagent Rack:2 Tier Str. 1200 mm(L) X 300 mm(W) X 600 mm(H)	Nos.	3.00	
131	Reagent Rack:2 Tier Str. 1350 mm(L) X 300 mm(W) X 600 mm(H)	Nos.	1.00	
132	Elect. Socket With Piano Switch 5/15Amp With Wiring (2.5 Sq.mm FRLS)	Nos.	14.00	
133	<b>Total for Table no. 2</b>			
134	<b>Table No. 3</b>			
135	Granite worktop (16 to 18 mm)	Sq. Ft.	58.00	
136	1 Drawer & 2 Shutters- 750 mm(L)	Nos.	4.00	
137	175 mm(H) Pedestal - 750 mm	Nos.	4.00	
138	Leg Space-600 mm(L) with Foot Rest And Back Panel(size:-600 mm(L) x 475 mm(H))	Nos.	4.00	
139	Gap Closing Panel ( Table 1500 mm(W)/900 mm(W))- 300 mm(W) X 575 mm(H)	Nos.	2.00	
140	Gap Closing Panel for L stand ( Table 750 mm(H))- 488 mm(W) X 493 mm(H)	Nos.	1.00	
141	Elect Trunking Box Str. Single side with wiring (Wall Table)1350 mm(L) X 120 mm(W) X 120 mm(H)	Nos.	3.00	
142	Elect Trunking Box Str. Single side with wiring (Wall Table)1380 mm(L) X 120 mm(W) X 120 mm(H)	Nos.	1.00	
143	Electrical Data Point Without Wiring	Nos.	4.00	
144	Elect. Socket With Piano Switch 5/15Amp With Wiring (2.5 Sq.mm FRLS)	Nos.	8.00	
145	Wall Mounted Overhead File Cabinets (Float Glass Door) GI Structure 2 Shutter with 1 adjustable shelf Size -750 mm (L) x 370 mm (D) x 750 mm (H)	Nos.	3.00	
146	Granite Support on Back Side 'L' Angle ['L'-250Mmx250Mm]	Nos.	9.00	
147	L Type End Support Stand 630 mm(L) X 550 mm(W) X 700 mm(H)	Nos.	1.00	
148	<b>Total for Table no. 3</b>			
149	<b>Total for Lab Furniture as per Layout 1(A) and 1(B)</b>			



**Layout no: 2**




SR. NO.	ITEM DESCRIPTION	UNIT	QTY	AMOUNT
	Layout, consisting of : Layout no: 2	Set	1	
1	Storage Size-L-750xD-570xH-675 mm, 1 Drawer + 2 Shutters	No.	1	
2	Storage Size-L-600xD-570xH-675 mm, 1 Drawer + 2 Shutters	No.	8	
3	Understructure for 750 mm Box (H-200 mm)	No.	1	
4	Understructure for 600 mm Box (H-200 mm)	No.	8	
5	Legspace-750 mm with Cross Base (Footrest) + BACK COVER PLATE	No.	1	
6	Legspace - 600 mm with Cross Base (Footrest) + BACK COVER PLATE	No.	2	
7	End Cover panel wall side	No.	6	
8	Single Sided CRCA Electrical Raceway max L-2m, H-125 x D-85 mm Top/Wall Mounted	Mtr	18	
9	Regent Shelf 2 Tier,Size L-900 x D-300 x H-650 mm	No.	5	
10	Regent Shelf 2 Tier,Size L-750 x D-300 x H-650 mm	No.	4	
11	Set of 5A - 1no. & 15A - 1no. Switches & Sockets with Face Plate (ANCHOR ROMA /NORISYS ) without wiring	No.	42	
12	Overhead Storage Size-L-750xD-375xH-675 mm, openable shutters with Glass	No.	16	
13	Prepolished Jet Black Granite 17±1 thick mm with Chamfered Corners	Sqm	8	


14	Underneath Packing (For Granite, 6mmx30 mm NEOPRENE)	Rmt	32	
15	Full Height Storage with Glass in Shutter, Size H-1800 x W-1000 x D-480 with 4 shelves making 5 compartments, and having 4 shutters with floating glass and inner FRP lining	No.	1	
16	Centrifugal Blower of 0.5 HP 900 RPM, 300 to 800 cfm, Static Pressure 0 to 20 WCMM, Moulded Propylene Impeller, Crompton/equivalent Motor	No.	1	
17	Full Height Fume Hood (CAV) Overall Dimension- L- 1500 x D-900 x H - 2400 mm Upper Structure made of Heavy Duty CRCA / GI Outer Dimension - 1500 x 900 x 1500 mm. Inside Working Volume- 1250 x 740 x	No.	2	
18	2 Nos. Under Counter Storages made in CRCA Powder Coated, Size- L- 750 x D- 530 x H-725 mm with Casters	No.	2	
19	Robust Heavy Duty Frame with Connecting Sets & Covering Plates to take load of Fume, Hood Overstructure. Overall size- L- 1500 x D-850 x H-900 mm	No.	2	
20	Full Height Fume Hood (CAV) Overall Dimension- L- 1200 x D-900 x H - 2400 mm Upper Structure made of Heavy Duty CRCA / GI, Outer Dimension - 1200 x 900 x 1500 mm. Inside Working Volume- 950 x 740 x	No.	2	
21	2 Nos. Under Counter Storages made in CRCA Powder Coated, Size- L- 600 x D- 530 x H- 725 mm with Casters	No.	2	
22	Robust Heavy Duty Frame with Connecting Sets & Covering Plates to take load of Fume	No.	2	
23	Centrifugal Blower of 2 HP 1400 RPM, 1200 to 2600 cfm, Static Pressure 0 to 56 WCMM	No.	2	
	Moulded Propylene Impeller, Crompton/equivalent Motor			
24	PP/FRP Ducting in 200/250/300/350 mm Dia complete with flanges, bends, T-	Sqm	80	
25	PP/PVC Ducting - 100 mm Dia Ducting quantity is considered as standard consumption only, actual billed will be as per site measurement	Sqft	20	
	<b>Total for layout -2</b>			



### Lay out no 3 (A)




### Lay out no 3 (B)




Lay out no 3 (A)				
S.No.	ITEM DESCRIPTION	Unit	Qty	Amount
	Lab Furniture as per Layout, consisting of :	Set	1	
1	Storage Size-L-750xD-570xH-675 mm, 1 Drawer + 2 Shutters	No.	9	
2	Storage Size-L-600xD-570xH-675 mm, 1 Drawer + 2 Shutters	No.	19	
3	Sink Storage Size-L-600xD-570xH-675 mm, 2 Shutters only	No.	1	
4	Understructure for 750 mm Box (H-200 mm)	No.	8	
5	Low Height Understructure for 750 mm Box (H-100 mm)	No.	1	
6	Understructure for 600 mm Box (H-200 mm)	No.	13	
7	Low Height Understructure for 600 mm Box (H-100 mm)	No.	6	
8	Legspace-750 mm with Cross Base (Footrest) + BACK COVER PLATE	No.	4	
9	Legspace - 600 mm with Cross Base (Footrest) + BACK COVER PLATE	No.	6	
10	Legspace - 600 mm with Cross Base (Footrest) + BACK COVER PLATE with Keyboard Cut-out and CPU Trolley	No.	2	
11	End Cover panel wall side	No.	12	
12	End Cover panel wall side-low height	No.	2	
13	PP Drop in Sink, Polypropylene, Size L-560 x W-355 x D-245 mm with Sink Outlet Nipple complete with Bottle-trap and Hose Pipe	No.	1	
14	Three Way Spout with Swivel Swan Neck	No.	1	
15	Single Sided CRCA Electrical Raceway max L-2m, H-125 x D-85 mm Top/Wall Mounted with 3 Nos. 6 Module Cut-outs	Mtr	18	
16	Regent Shelf 2 Tier, Size L-1500 x D-300 x H-650 mm	No.	2	
17	Regent Shelf 2 Tier, Size L-750 x D-300 x H-650 mm	No.	2	
18	Set of 5A - 1no. & 15A - 1no. Switches & Sockets with Face Plate (ANCHOR ROMA / NORISYS ) without wiring	No.	33	
19	Overhead Storage Size-L-750xD-375xH-675 mm, openable shutters with Glass	No.	18	
20	Prepolished Jet Black Granite 17±1 thick mm with Chamfered Corners	Sqm	24	
21	Underneath Packing (For Granite, 6mmx30 mm NEOPRENE)	Rmt	96	
Layout no 3(B)				
S.No.	Description of Material	Unit	Qty	
	Lab Furniture as per Layout, consisting of :	Set	1	
1	Storage Size-L-750xD-570xH-675 mm, 1 Drawer + 2 Shutters	No.	4	
2	Sink Storage Size-L-750xD-570xH-675 mm, 2 Shutters only	No.	1	
3	Storage Size-L-600xD-570xH-675 mm, 1 Drawer + 2 Shutters	No.	20	
4	Understructure for 750 mm Box (H-200 mm)	No.	4	
5	Low Height Understructure for 750 mm Box (H-100 mm)	No.	1	
6	Understructure for 600 mm Box (H-200 mm)	No.	9	
7	Low Height Understructure for 600 mm Box (H-100 mm)	No.	11	
8	Legspace-750 mm with Cross Base (Footrest) + BACK COVER PLATE	No.	1	
9	Legspace - 600 mm with Cross Base (Footrest) + BACK COVER PLATE	No.	7	

10	Legspace - 600 mm with Cross Base (Footrest) + BACK COVER PLATE with Keyboard Cut-out and CPU Trolley	No.	3	
11	End Cover panel wall side	No.	4	
12	End Cover panel wall side-low height	No.	4	
13	PP Drop in Sink, Polypropylene, Size L-560 x W-355 x D-245 mm with Sink Outlet Nipple complete with Bottle-trap and Hose Pipe	No.	1	
14	Three Way Spout with Swivel Swan Neck	No.	1	
15	Single Sided CRCA Electrical Raceway max L-2m, H-125 x D-85 mm Top/Wall Mounted with 3 Nos. 6 Module Cut-outs	Mtr	17	
16	Regent Shelf 2 Tier, Size L-1500 x D-150 x H-650 mm (2-Cut-outs)	No.	3	
17	Regent Shelf 2 Tier, Size L-1200 x D-150 x H-650 mm	No.	1	
18	Set of 5A - 1no. & 15A - 1no. Switches & Sockets with Face Plate (ANCHOR ROMA / NORISYS ) without wiring	No.	26	
19	Overhead Storage Size-L-750xD-375xH-675 mm, openable shutters with Glass	No.	6	
20	Prepolished Jet Black Granite 17±1 thick mm with Chamfered Corners	Sqm	21.5	
21	Underneath Packing (For Granite, 6mmx30 mm NEOPRENE)	Rmt	86	
	Total for layout 3A+3B			

**Layout 4(A)**



**Layout 4(B)**



SR. NO.	ITEM DESCRIPTION	UNIT	QTY	Amount
1	<b>Lab Furniture as per Layout no. 4(A)</b>			
2	<b>Table No. 1</b>			
3	Granite worktop (16 to 18 mm)	Sq. Ft.	115.00	
4	B- Series 1 Drawer & 1 Shutter- 450 mm(L)LHS	Nos.	3.00	
5	B- Series 1 Drawer & 1 Shutter- 450 mm(L) Right	Nos.	1.00	
6	B- Series 1 Drawer & 2 Shutters- 600 mm(L)	Nos.	1.00	
7	B- Series 1 Shutter Corner Unit:- 900 mm(L) X 900 mm (D)	Nos.	2.00	
8	A- Series 175 mm(H) Pedestal - 600 mm	Nos.	1.00	
9	A- Series 175 mm(H) Pedestal - 450 mm	Nos.	4.00	
10	A- Series 175 mm(H) Pedestal - 750 mm	Nos.	2.00	
11	Actis-B-Series Leg Space-600 mm(L) with Foot Rest And Back Panel(size:-600 mm(L) x 475 mm(H))	Nos.	2.00	
12	Actis-B-Series Leg Space-710 mm(L) with Foot Rest And Back Panel(size:-710 mm(L) x 475 mm(H))	Nos.	4.00	
13	Actis-B-Series Gap Closing Panel ( Table 1500 mm(W)/900 mm(W))- 300 mm(W) X 575 mm(H)	Nos.	1.00	
14	Actis-A-Series Gap Closing Panel for L stand ( Table 900 mm(H))- 488 mm(W) X 643 mm(H)	Nos.	2.00	
15	Actis-B-Series Gap Closing Panel for L stand ( Table 750 mm(H))- 488 mm(W) X 493 mm(H)	Nos.	2.00	
16	Corner Piece Of Electrical Trunking.	Nos.	2.00	
17	Elect Trunking Box Str. Single side with wiring (Wall Table)630 mm(L) X 120 mm(W) X 120 mm(H)	Nos.	1.00	
18	Elect Trunking Box Str. Single side with wiring (Wall Table)760 mm(L) X 120 mm(W) X 120 mm(H)	Nos.	1.00	
19	Elect Trunking Box Str. Single side with wiring (Wall Table)1050 mm(L) X 120 mm(W) X 120 mm(H)	Nos.	3.00	
20	Elect Trunking Box Str. Single side with wiring (Wall Table)1150 mm(L) X 120 mm(W) X 120 mm(H)	Nos.	1.00	
21	Elect Trunking Box Str. Single side with wiring (Wall Table)1160 mm(L) X 120 mm(W) X 120 mm(H)	Nos.	2.00	
22	Elect Trunking Box Str. Single side with wiring (Wall Table)1190 mm(L) X 120 mm(W) X 120 mm(H)	Nos.	1.00	
23	Elect Trunking Box Str. Single side with wiring (Wall Table)1230 mm(L) X 120 mm(W) X 120 mm(H)	Nos.	1.00	
24	Electrical Data Point Without Wiring	Nos.	6.00	
25	Elect. Socket With Piano Switch 5/15Amp With Wiring (2.5 Sq.mm FRLS)	Nos.	20.00	
26	Actis A-series L Type End Support Stand 780 mm(L) X 550 mm(W) X 850 mm(H)	Nos.	2.00	
27	Actis B-series L Type End Support Stand 630 mm(L) X 550 mm(W) X 700 mm(H)	Nos.	2.00	
28	Granite Support on Back Side 'L' Angle ['L'-250Mmx250Mm]	Nos.	14.00	
29	Granite Support [ Actis - Table Height 900Mm ] - 600mmL X 300Mm D X 850Mm H (Refer Drawing)	Nos.	1.00	
30	Actis-B- Series Furniture Front Closing Panel-900 mm(L)	Nos.	2.00	
31	Granite Support [ Actis - Table Height 750Mm ] - 600mmL X 600Mm D X 700Mm H (Refer Drawing)	Nos.	2.00	
32	<b>Total for Table no. 1</b>			
33	<b>Table No. 2</b>			
34	Granite worktop (16 to 18 mm)	Sq. Ft.	65.00	
35	A- Series 1 Drawer & 2 Shutters- 600 mm(L)	Nos.	2.00	
36	A- Series 1 Drawer & 2 Shutters- 750 mm(L)	Nos.	4.00	
37	A- Series 175 mm(H) Pedestal - 600 mm	Nos.	2.00	




38	A- Series 175 mm(H) Pedestal - 750 mm	Nos.	4.00	
39	Actis-A-Series Leg Space-750 mm(L) with Foot Rest And Back Panel(size:-750 mm(L) x 575 mm(H))	Nos.	4.00	
40	Actis-A-Series Gap Closing Panel ( Table 1500 mm(W)/900 mm(W))-300 mm(W) X 675 mm(H)	Nos.	2.00	
41	Actis Reagent Rack:2 Tier Str. 1200 mm(L) X 300 mm(W) X 600 mm(H)	Nos.	3.00	
42	Elect. Socket With Piano Switch 5/15Amp With Wiring (2.5 Sq.mm FRLS)	Nos.	10.00	
43	<b>Total for Table no. 2</b>			
44	<b>Table No. 3</b>			
45	Granite worktop (16 to 18 mm)	Sq. Ft.	121.00	
46	A- Series 1 Drawer & 2 Shutters- 600 mm(L)	Nos.	4.00	
47	A- Series 1 Drawer & 2 Shutters- 750 mm(L)	Nos.	4.00	
48	A- Series 2 Shutters Sink Unit - 750 mm(L)	Nos.	1.00	
49	A- Series 1 Shutter Corner Sink Unit:- 900 mm(L) X 900 mm (D)	Nos.	1.00	
50	A- Series 175 mm(H) Pedestal - 600 mm	Nos.	4.00	
51	A- Series 175 mm(H) Pedestal - 750 mm	Nos.	6.00	
52	Actis-A-Series Leg Space-600 mm(L) with Foot Rest And Back Panel(size:-600 mm(L) x 575 mm(H))	Nos.	6.00	
53	Actis-A-Series Gap Closing Panel ( Table 1500 mm(W)/900 mm(W))-300 mm(W) X 675 mm(H)	Nos.	1.00	
54	Elect Trunking Box Str. Single side with wiring (Wall Table)1030 mm(L) X 120 mm(W) X 120 mm(H)	Nos.	1.00	
55	Elect Trunking Box Str. Single side with wiring (Wall Table)1040 mm(L) X 120 mm(W) X 120 mm(H)	Nos.	1.00	
56	Elect Trunking Box Str. Single side with wiring (Wall Table)1350 mm(L) X 120 mm(W) X 120 mm(H)	Nos.	2.00	
57	Actis Reagent Rack:2 Tier Str. 1200 mm(L) X 150 mm(W) X 600 mm(H)	Nos.	2.00	
58	Actis Reagent Rack:2 Tier Str. 1350 mm(L) X 150 mm(W) X 600 mm(H)	Nos.	1.00	
59	Elect. Socket With Piano Switch 5/15Amp With Wiring (2.5 Sq.mm FRLS)	Nos.	14.00	
60	Wall Mounted Overhead File Cabinets (Float Glass Door) GI Structure 2 Shutter with 1 adjustable shelf Size -750 mm (L) x 370 mm (D) x 750 mm (H)	Nos.	3.00	
61	3 Way Gooseneck Water Tap, Type Code 100/32 (Far)	Nos.	2.00	
62	Big PP Sink - 600L X 450W X 300D mm	Nos.	2.00	
63	Granite Support on Back Side 'L' Angle ['L'-250Mmx250Mm]	Nos.	17.00	
64	Granite Support [ Actis - Table Height 900Mm ] - 600mmL X 300Mm D X 850Mm H (Refer Drawing)	Nos.	1.00	
65	<b>Total for Table no. 3</b>			
66	<b>Table No. 4</b>			
67	Granite worktop (16 to 18 mm)	Sq. Ft.	33.00	
68	A- Series 1 Drawer & 2 Shutters- 750 mm(L)	Nos.	3.00	
69	A- Series 175 mm(H) Pedestal - 750 mm	Nos.	3.00	
70	Actis-A-Series Leg Space-750 mm(L) with Foot Rest And Back Panel(size:-750 mm(L) x 575 mm(H))	Nos.	1.00	
71	Elect Trunking Box Str. Single side with wiring (Wall Table)1250 mm(L) X 120 mm(W) X 120 mm(H)	Nos.	1.00	
72	Elect Trunking Box Str. Single side with wiring (Wall Table)1500 mm(L) X 120 mm(W) X 120 mm(H)	Nos.	1.00	
73	Electrical Data Point Without Wiring	Nos.	1.00	
74	Elect. Socket With Piano Switch 5/15Amp With Wiring (2.5 Sq.mm FRLS)	Nos.	4.00	
75	Wall Mounted Overhead File Cabinets (Float Glass Door) GI Structure 2 Shutter with 1 adjustable shelf Size -750 mm (L) x 370 mm (D) x 750 mm (H)	Nos.	4.00	




76	Granite Support on Back Side 'L' Angle ['L'-250Mmx250Mm]	Nos.	5.00	
77	<b>Total for Table no. 4</b>			
1	<b>Lab Furniture as per Layout no. 4(B)</b>			
2	<b>Table No. 1</b>			
3	Granite worktop (16 to 18 mm)	Sq. Ft.	16.00	
4	B- Series 1 Drawer & 1 Shutter- 450 mm(L)LHS	Nos.	1.00	
5	A- Series 175 mm(H) Pedestal - 450 mm	Nos.	1.00	
6	Actis-B-Series Leg Space-600 mm(L) with Foot Rest And Back Panel(size:-600 mm(L) x 475 mm(H))	Nos.	2.00	
7	Actis-B-Series Gap Closing Panel ( Table 750 mm(W) )- 150 mm(W) X 575 mm(H)	Nos.	2.00	
8	Actis-B-Series Gap Closing Panel for L stand ( Table 750 mm(H))- 488 mm(W) X 493 mm(H)	Nos.	2.00	
9	Elect Trunking Box Str. Single side with wiring (Wall Table)630 mm(L) X 120 mm(W) X 120 mm(H)	Nos.	1.00	
10	Elect Trunking Box Str. Single side with wiring (Wall Table)1080 mm(L) X 120 mm(W) X 120 mm(H)	Nos.	1.00	
11	Electrical Data Point Without Wiring	Nos.	2.00	
12	Elect. Socket With Piano Switch 5/15Amp With Wiring (2.5 Sq.mm FRLS)	Nos.	4.00	
13	Actis B-series L Type End Support Stand 630 mm(L) X 550 mm(W) X 700 mm(H)	Nos.	2.00	
14	<b>Total for Table no. 1</b>			
15	<b>Wall Cabinets</b>			
16	Wall Mounted Overhead File Cabinets (Float Glass Door) GI Structure 2 Shutter with 1 adjustable shelf Size -750 mm (L) x 370 mm (D) x 750 mm (H)	Nos.	5.00	
17	<b>Total for Wall Cabinets</b>			
18	<b>Total for Lab Furniture as per Layout no. 4(A+B)</b>			

### Layout 5 (A)



### Layout 5(B)



Layout 5(A)				
S.No.	Description of Material	Unit	Qty	Amount
	Lab Furniture as per Layout, consisting of :	Set	1	
1	Corner Storage Size-L-850+850xD-570xH-675 mm, 1 Shutter	No.	2	
2	Storage Size-L-750xD-570xH-675 mm, 1 Drawer + 2 Shutters	No.	28	
3	Sink Storage Size-L-750xD-570xH-675 mm, 2 Shutters only	No.	3	
4	Storage Size-L-600xD-570xH-675 mm, 1 Drawer + 2 Shutters	No.	5	
5	Understructure for 850 mm Corner Box (H-200 mm)	No.	2	
6	Understructure for 750 mm Box (H-200 mm)	No.	31	
7	Understructure for 600 mm Box (H-200 mm)	No.	5	
8	Legspace-750 mm with Cross Base (Footrest) + BACK COVER PLATE	No.	15	
9	Legspace - 600 mm with Cross Base (Footrest) + BACK COVER PLATE	No.	3	
10	End Cover panel wall side	No.	16	
11	PP Drop in Sink, Polypropylene, Size L-560 x W-355 x D-245 mm with Sink Outlet Nipple complete with Bottle-trap and Hose Pipe	No.	3	
12	Three Way Spout with Swivel Swan Neck	No.	3	
13	Single Sided CRCA Electrical Raceway max L-2m, H-125 x D-85 mm Top/Wall Mounted with 3 Nos. 6 Module Cut-outs	Mtr	34	
14	Regent Shelf 2 Tier, Size L-1500 x D-300 x H-650 mm	No.	2	
15	Regent Shelf 2 Tier, Size L-750 x D-300 x H-650 mm	No.	1	
16	Set of 5A - 1no. & 15A - 1no. Switches & Sockets with Face Plate (ANCHOR ROMA / NORISYS ) without wiring	No.	48	
17	Prepolished Jet Black Granite 17±1 thick mm with Chamfered Corners	Sqm	42	
18	Underneath Packing (For Granite, 6mmx30 mm NEOPRENE)	Rmt	168	
19	Full Height Storage with Glass in Shutter, Size H-1800 x W-1000 x D-480 with 4 shelves making 5 compartments, and having 4 shutters with floating glass and inner FRP lining	No.	1	
20	Full Height Fume Hood (CAV) Overall Dimension- L- 1800 x D-900 x H - 2400 mm Upper Structure made of Heavy Duty CRCA / GI Outer Dimension - 1800 x 900 x 1500 mm. Inside Working Volume- 1550 x 740 x 1200mm	No.	1	
21	2 Nos. Under Counter Storages made in CRCA Powder Coated, Size- L- 900 x D- 530 x H- 725 mm with Casters	No.	1	
22	Robust Heavy Duty Frame with Connecting Sets & Covering Plates to take load of Fume Hood Overstructure. Overall size- L- 1800 x D-850 x H-900 mm	No.	1	
23	Centrifugal Blower of 2 HP 1400 RPM, 1200 to 2600 cfm, Static Pressure 0 to 56 WCM Moulded Propylene Impeller, Crompton/equivalent Motor	No.	1	
24	PP/FRP Ducting in 200/250/300/350 mm Dia complete with flanges, bends, T-connectors, etc.	Sqm	10	

25	PP/PVC Ducting - 100 mm Dia	Sqft	10	
	Ducting quantity is considered as standard consumption only, actual billed will be as per site measurement			
<b>Layout 5(B)</b>				
S.No.	Description of Material	Unit	Qty	
	Lab Furniture as per Layout, consisting of :	Set	1	
1	Corner Storage Size-L-850+850xD-570xH-675 mm, 1 Shutter	No.	3	
2	Storage Size-L-750xD-570xH-675 mm, 1 Drawer + 2 Shutters	No.	10	
3	Sink Storage Size-L-750xD-570xH-675 mm, 2 Shutters only	No.	1	
4	Storage Size-L-600xD-570xH-675 mm, 1 Drawer + 2 Shutters	No.	25	
5	Sink Storage Size-L-600xD-570xH-675 mm, 2 Shutters only	No.	2	
6	Understructure for 850 mm Corner Box (H-200 mm)	No.	3	
7	Understructure for 750 mm Box (H-200 mm)	No.	11	
8	Understructure for 600 mm Box (H-200 mm)	No.	27	
9	Legspace-750 mm with Cross Base (Footrest) + BACK COVER PLATE	No.	6	
10	Legspace - 600 mm with Cross Base (Footrest) + BACK COVER PLATE	No.	11	
11	End Cover panel wall side	No.	16	
12	PP Drop in Sink, Polypropylene, Size L-560 x W-355 x D-245 mm with Sink Outlet Nipple complete with Bottle-trap and Hose Pipe	No.	3	
13	Three Way Spout with Swivel Swan Neck	No.	3	
14	Single Sided CRCA Electrical Raceway max L-2m, H-125 x D-85 mm Top/Wall Mounted with 3 Nos. 6 Module Cut-outs	Mtr	35	
15	Regent Shelf 2 Tier, Size L-1200 x D-300 x H-650 mm	No.	3	
16	Set of 5A - 1no. & 15A - 1no. Switches & Sockets with Face Plate (ANCHOR ROMA / NORISYS ) without wiring	No.	49	
17	Prepolished Jet Black Granite 17±1 thick mm with Chamfered Corners	Sqm	39	
18	Underneath Packing (For Granite, 6mmx30 mm NEOPRENE)	Rmt	156	
	Total 5(A+B)			

#### **TECHNICAL SPECIFICATIONS - FUME HOODS of layout 5(A and B)**

Bench Top FUME HOOD, Overall Size - L-1500 x D-900 x H-2350 mm

Upper Part of Fume Hood - Outer Dimensions- L-1500 W X 900 mm D X 2350 mm H,

Inside Working Volume - 750 mm W X 740 mm D X 1200 mm H

Lower Part (Base) Stands on ROBUST HEAVY DUTY "C" FRAME, Overall Size L-1500 x D-900 x H-900 mm, with 2 Storages of Size L-600 x D-530 x H-725 mm (with Wheels)

Superstructure Frame – It should be a free-standing rigid panel structure of steel (CRCA/GI)

Interior Walls - Double wall ends, not more than 6" wide, should be provided to maximize interior working area. The area between the double wall ends should be closed to house the remote control valves. Cut-outs should be provided inside the fume hood for service line accessibility. The same to have a cover with a fastener free design. The vertical fascia shall contain the required service controls, electrical switches and receptacles.

Airfoil - A streamlined airfoil should be integral at the bottom of the hood opening on bench and

distillation hoods. This foil shall provide a nominal 20mm open space between the foil and the top front edge of the work surface to direct an air stream across the work surface to prevent back flow of air. The sash should be provided with a separate handle which also provides for air flow when in completely closed position. The foil should be of 1.2mm steel to resist denting and flexing.

Baffles - A stable, non-adjustable baffle with a single slot on the back baffle to aid in distributing the flow of air into and through the hood. The baffle should be spaced out from the back liner and should be removable for cleaning.

Duct Collar - A 8"-10" diameter polyethylene funnel shaped rectangular duct collar should be located in the top of the hood plenum chamber.

Lighting- Two LED Lights of 10 watts each should be provided in the fume hood.

Sash - A vertically moving sash should be provided. The bottom of the sash frame should have a full length metal handle. The sash track has minimum protrusion to avoid any kind of turbulence. The sash should be counterbalanced with weights to prevent tilting and binding during operation. The glass panels should be 5mm toughened glass mounted in an levelled channel with roller for smooth operation.

Plumbing Services - Utility services like Vacuum, Nitrogen, Compressed Air & Raw water (as per Schedule of Quantity) shall consist of remote control valves as selected located within the end panels, controlled by in and out facility with flexible hose passing through the side panels of the hood, with color coded plastic handles. Interior fitting for gases and water should be with powder coated brass. All gas valves for regular lab gases to have standard needle valve and push and turn type arrangement for all burning gases should be supplied. All supplied valves to clear the following pressure test conditions: Gas Fittings - 7 bar, Water fittings - 10 bar.

Electrical Services - The hood superstructure should be fully wired and should have a control box with MCB blower starter all safety devices like trip etc. Inlet should be of 3 phase power supply and the whole electrical should be of plug and play type. It also has 2 nos. electrical sockets and switches of reputed make (230V, 5/16 A, 50 Hz) and 2 Nos. Industrial Sockets & MCB.

Liner - Interior liner panels should be 6 mm thick Phenol resin based industrial laminate.

Lattice Rod Assemblies - 12mm dia solid Epoxy rods should be clamped with the PP clamps to form a lattice arrangement to hold the test samples and rotors within the fume hood.

Centrifugal Blower - Silent high efficiency remote blower consisting of continuous rating motor and chemical resistant impellar. The blower should be designed to give a face velocity at safe working height as per the international safe velocity norms. (ANSI/AIHA Z9.5). The blower body should be polypropylene UV treated, high density and chemical (corrosion) resistant and mounted on a metallic stand.

Ducting - Rigid Ducting of PP (Polypropylene) + FRP (Fibre Reinforced Polyester) and flexible ducting with flanges, bends, damper transitions, clamps etc. Flexible joint should be provided in the ducting in order to avoid transmitting the blower vibrations to the hood. A weather proof rain cowl is provided at the outlet of blower.

Base Cabinets - Fume hoods are designed to rest on a bench madeup of HEAVY DUTY "C" Frame which is a complete rigid steel structure. The pipe section should be of 60 x 30 mm and minimum 2.5 mm thick. Base Cabinets have Heavy Duty Roller so that they can be pulled out if required.

Ceiling Enclosures - Use to enclose space between front top and ceiling of Concept fume hood superstructure also provides enclosure for raised sash.

Transition - Used to connect fume hood with ducting. They are designed to reduce the static pressure and are made up of Poly-propylene.

Work Surface – Standard hood work surface should be 18mm thick jet black granite made in the form of a watertight pan. Worktop will have oval shaped 102 mm X 75 mm 'PP' Cup-Sink for drainage. Top should be manufactured at the same manufacturing location as the fume hood to assure proper cut-out alignment and coordinated shipping. The work surface and cup drain should be available in black.

#### POWDER COATING

Complete Module & Frame work are processed in 9 tank pre-treatment and finished with highly corrosion resistant Epoxy Powder coating with 40-60 microns thickness that passes 1000 hours Salt Spray Test.

#### **NOTE:**

1. Bidders should give point by point compliance w.r.t. the tender specifications. Bidders should provide technical literature and brochure of the offered model and mention the same in the compliance table. Bids without technical literature will be summarily rejected.
2. Point by point compliance of the bid in a tabular format w.r.t specifications along with reference to the pages in the technical literature submitted by the bidder is to be clearly mentioned and submitted.
3. Non-compliance to any of the two points above shall be treated as INCOMPLETE/PARTIAL BID & shall not be considered for further process.
4. If technical committee wishes to examine the instrument specification, the vendors may also be called for the demonstration of instrument for the various parameters.



### CHAPTER 5 PRICE SCHEDULE

The Bill of materials must be included in the technical offer as well as commercial offer. However, the Technical offer should not contain any price information.

#### PRICE SCHEDULE FOR GOODS

Name of the Bidder\_\_\_\_\_

Tender No.\_\_\_\_\_

Sr. No	Item Description	Place of Manufacture in India	Qty	Unit	Unit Price	GST %	GST Amount	Total Amount Without taxes	Total Amount With taxes
01	Lab Furniture		N.A	No					
02	Any Other Charges/Any taxes, if any		N.A	No					

Total Bid price in\_\_\_\_\_in words

Signature of Bidder:

Name

Stamp

Note: The cost of optional items shall be indicated separately. The bidder may add rows to include the prices of all components & warranties, installation etc. whichever applicable. (a)Cost of spares\_\_\_\_\_(b) Warranty if being charged include in BoQ

**FORMAT/QUESTIONNAIR FOR COMPLIANCE OF TERMS AND CONDITIONS**

Tender No.: \_\_\_\_\_

Due Date \_\_\_\_\_

**NOTE:**

- Quotation will not be considered without submission of this format.**
- If a particular question is not at all applicable please write NA in compliance part in Col. No. 4 below.**
- Kindly see the relevant terms & conditions of the tender document in each question before replying to the questions mentioned in Col. 2 below).**

SNo	Terms & condition of Tender document	Whether acceptable (say ‘Yes’ or ‘No’ (preferably use different colour ink for ‘No’)	Deviation from tender terms, if any, with reasons for noncompliance or alternative condition quoted for
1	2	3	4
1	a.) Whether quotation is direct from Principal supplier/manufacturer or their own office in India (Please specify)		



SNo	Terms & condition of Tender document	Whether acceptable (say 'Yes' or 'No' (preferably use different colour ink for 'No'))	Deviation from tender terms, if any, with reasons for noncompliance or alternative condition quoted for
	b) Whether quotation is being submitted by Indian Agent/authorized distributor/ dealer		
	c) Whether the agent is registered with NSIC/MSME		
2	Whether techno-commercial Bid contains, technical literature/leaflets, detailed specifications & commercial terms & conditions etc. as applicable.		
3	a) Whether the required Scanned copy of Tender Fee is being submitted with the quotation		
	b) Please specify the form of whether in the form of DD/NEFT		



SNo	Terms & condition of Tender document	Whether acceptable (say 'Yes' or 'No' (preferably use different colour ink for 'No'))	Deviation from tender terms, if any, with reasons for noncompliance or alternative condition quoted for
	C) Whether specific amounts or percentage of expenses like packing, forwarding, handling, freight, insurance, documentation etc. have been mentioned in quotation separately in clear terms.		
5	a) Whether prevailing rates of sales tax, excise duty & other govt. levies (for indigenous supplies) have been given in quotation		
6	Have you mentioned the validity period of the quotation as per our requirements		
7	a) Whether the Price reasonability Certificate is submitted with quotation		
	b) Whether copies of last three supply orders of the same item from other customers have been attached with the quotation		
8	Whether rates/amount of AMC after the warranty period is over has been mentioned		



SNo	Terms & condition of Tender document	Whether acceptable (say 'Yes' or 'No' (preferably use different colour ink for 'No'))	Deviation from tender terms, if any, with reasons for noncompliance or alternative condition quoted for
9	Have you gone through the specification Clause & complied with the same		
10	Whether the Make/Brand, Model number and name of manufacturer has been mentioned in the quotation and Printed technical literature/ leaflets of quoted items have been submitted		
11	Whether compliance statement of specifications has been attached with the quotation.		
12	a) Whether the delivery period for supply of the items has been mentioned		
	b) Whether mode of delivery & tentative size & weight of the consignment has also been indicated		



SNo	Terms & condition of Tender document	Whether acceptable (say 'Yes' or 'No' (preferably use different colour ink for 'No'))	Deviation from tender terms, if any, with reasons for noncompliance or alternative condition quoted for
13	Do you agree to the submission of Performance Bank Guarantee and have you mentioned in your quotation about this.		
14	Do you agree with the payment terms for indigenous supplies?		No deviation permitted
15	Do you agree about the date of commencement of warranty period & its extension is necessary.		
16	a) Who will install/commission and demonstrate the equipment <b>at NIPER Raebareli ,Transit/Permanent campus FREE OF COST.</b>		
	b) Will you be able to do it within a month		
17	Have you mentioned the guarantee/warranty period in your quotation and do you agree with guarantee clause?		
18	Spare parts		





SNo	Terms & condition of Tender document	Whether acceptable (say 'Yes' or 'No' (preferably use different colour ink for 'No'))	Deviation from tender terms, if any, with reasons for noncompliance or alternative condition quoted for
19	After Sales service		
20	a) Do you agree that on receipt of material in damaged condition or short supply you will replace the same on CIF basis, free of cost pending the settlement of the insurance claim?		
	b) Do you agree with the clause of physical inspection?		
21	Whether list of specific user's for the same item & model as quoted along-with performance certificates from the users is submitted with offer		
22	Whether you agree to the penalty clause for late delivery & installation?		



SNo	Terms & condition of Tender document	Whether acceptable (say 'Yes' or 'No' (preferably use different colour ink for 'No'))	Deviation from tender terms, if any, with reasons for noncompliance or alternative condition quoted for
23	Whether training to our scientist/technical person <b>will be given free of cost</b> . If yes, have you specified in quotation whether it will be in our lab? Or at supplier's site in India or abroad.		
24	a) Whether all the pages have been page numbered?		
	b) Whether quotation has been signed and designation & name of signatory mentioned.		
25	Whether documentary evidence of bidders as given in Eligibility Criteria submitted		

**ANNEXURE – B**

**FORMAT OF COMPLIANCE STATEMENT OF SPECIFICATIONS**

1	2	3	4	5	6
S. N.	Name of specifications/part / Accessories of tender enquiry As per Chapter 4 of the Tender Document.	Specifications of quoted Model/ Item	Compliance Whether “YES” Or “NO”	Deviation, if any, to be indicated in unambiguous terms	Whether the compliance / deviation is clearly mentioned in technical leaflet/ literature
1					
2					
3					

Note : Bidders are required to fill this table as per the specifications given in the Chapter 4 of this Tender Document. The points needs to be reproduced in the table at Column No 2 and then fill in the relevant details for each specifications.

Signature of the Bidder

Name

Stamp

**ANNEXURE-C**

**MANUFACTURER'S AUTHORIZATION FORM**

[The Bidder shall require the Manufacturer to fill in this Form in accordance with the instructions indicated. This letter of authorization should be on the letterhead of the Manufacturer and should be signed by a person with the proper authority to sign documents that re binding on the Manufacturer]

Date: [Insert date (as Day, month and year) of Bid submission]

Tender No.: [Insert number from Invitation for Bids]

To: [Insert complete name and address of Purchaser]

WHEREAS

We [insert completer name of Manufacturer], who are official manufacturers of [Insert type of goods manufactured] having factories at [insert full address of Manufacturer's factories], do hereby authorize [insert complete name of Bidder] to submit a bid the purpose of which is to provide the following goods, manufactured by us [insert name and or brief description of the goods], and to subsequently negotiate and sign the contract.

We hereby extend our full guarantee and complete comprehensive warranty in accordance with the Terms and Conditions of Contract with respect to the Goods offered by the above firm for the complete warranty period.

Signed: [insert signature(s) of authorized representative(s) of the Manufacturer]

Name: [insert complete name(s) of authorized representative(s) of the Manufacturer]

Title: [insert title]

Duly authorized to sign this Authorization on behalf of: [insert complete name of Bidder]

Dated on \_\_\_\_\_ day of \_\_\_\_\_ [insert date of sign in]

**ANNEXURE – D**

**Bid Securing Declaration Form**

Date: \_\_\_\_\_

Tender No. \_\_\_\_\_

To (insert complete name and address of the purchaser)

I/We. The undersigned, declare that:

I/We understand that, according to your conditions, bids must be supported by a Bid Securing Declaration.

I/We accept that I/We may be disqualified from bidding for any contract with you for a period of two year from the date of notification if I am /We are in a breach of any obligation under the bid conditions, because I/We

a) have withdrawn/modified/amended, impairs or derogates from the tender, my/our Bid during the period of bid validity specified in the form of Bid; or

b) having been notified of the acceptance of our Bid by the purchaser during the period of bid validity (i) fail or reuse to execute the contract, if required, or (ii) fail or refuse to furnish the Performance Security, in accordance with the Instructions to Bidders.

I/We understand this Bid Securing Declaration shall cease to be valid if I am/we are not the successful Bidder, upon the earlier of (i) the receipt of your notification of the name of the successful Bidder; or (ii) thirty days after the expiration of the validity of my/our Bid.

Signed: \_\_\_\_\_ (insert signature of person whose name and capacity are shown)

in the capacity of \_\_\_\_\_ (insert legal capacity of person signing the Bid Securing Declaration)

Name: \_\_\_\_\_ (insert complete name of person signing he Bid Securing Declaration)

Duly authorized to sign the bid for an on behalf of (insert complete name of Bidder)

Dated on \_\_\_\_\_ day of \_\_\_\_\_ (insert date of signing)

Corporate Seal (where appropriate)

(Note: In case of a Joint Venture, the Bid Securing Declaration must be in the name of all partners to the Joint Venture that submits the bid)

**Annexure-‘E’**

**PREVIOUS SUPPLY ORDERS FORMAT**

Name of the Firm \_\_\_\_\_

Order placed by <i>{Full address of Purchaser}</i>	Order No. and Date	Description and quantity of ordered equipment	Value of order	Date of completion of delivery as per contract	Date of actual completion of delivery	Remarks indicating reasons for late delivery, if any and justification for price difference of their supply order & those quoted to us.	Has the equipment been installed satisfactorily?	Contact Person along with Telephone no., Fax no. and e-mail address.

Signature and Seal of the Manufacturer/ bidder .....

Place:

Date:





**Annexure-'F'**

**BIDDER INFORMATION FORM**

Company Name : \_\_\_\_\_  
Registration Number : \_\_\_\_\_  
Registered Address : \_\_\_\_\_  
\_\_\_\_\_

Name of Partners /Director : \_\_\_\_\_  
\_\_\_\_\_

City : \_\_\_\_\_

Postal Code : \_\_\_\_\_

Company's Establishment Year : \_\_\_\_\_

Company's Nature of Business : \_\_\_\_\_

Company's Legal Status 1) Limited Company

(tick on appropriate option ) 2) Undertaking

3) Joint Venture

4) Partnership

5) Others

Company Category 1) Micro Unit as per MSME

2) Small Unit as per MSME

3) Medium Unit as per MSME

4) Ancillary Unit

5) SSI

6) Others

**CONTACT DETAILS**

Contact Name: \_\_\_\_\_

Email Id : \_\_\_\_\_

Designation :\_ Phone No : ( \_\_\_\_\_ ) \_\_\_\_\_

Mobile No : \_\_\_\_\_

**BANK DETAILS**

Name of Beneficiary: \_\_\_\_\_

A/c. No. CC/CD/SB/OD: \_\_\_\_\_

Name of Bank : \_\_\_\_\_

IFSC NO. (Bank) : Branch Address and

Branch Code: \_\_\_\_\_

**Other Details**

Vendor's PAN No. \_\_\_\_\_

Vendor's CST No/LST No/WCT No/TIN No: \_\_\_\_\_



**Annexure-‘G’**

**DECLARATION REGARDING CLEAN TRACK/NO LEGAL ACTION**

(to be provided on letter head of the firm)

I hereby certify that the above firm namely \_\_\_\_\_ is neither blacklisted by any Central/State Government/Public Undertaking/Institute nor any criminal case registered / pending against the firm or its owner / partners anywhere in India (or) against any of its branches (or) partners abroad.

I also certify that the above information is true and correct in any every respect and in any case at a later date it is found that any details provided above are incorrect, any contract given to the above firm may be summarily terminated and the firm blacklisted.

Date:

Authorized Signatory

Place:

Name:

Designation:

Contact No.:



**Annexure-‘H’**

**CERTIFICATE**

**ON COMPANY LETTERHEAD**

**CERTIFICATE BY BIDDER- DPIIT REGISTRATION**

I have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India; I certify that this bidder is not from such a country or, / if from such a county, has been registered with the Competent Authority (copy of the Registration Certificate enclosed) .

I hereby certify that this bidder fulfills all requirements in this regard and is eligible to be considered for this tender no. \_\_\_\_\_ dated \_\_\_\_\_ listed by NIPER RAEBARELI.

Signature with Date and Stamp

Of the Bidder



**Annexure-'T'**

**Self-Certification regarding Local Content (LC) for Goods, Services or Works**  
**(to be provided on Rs. 100/- Stamp Paper)**

Date: .....

I \_\_\_\_\_ S/o, D/o, W/o \_\_\_\_\_, Resident of \_\_\_\_\_

do hereby solemnly affirm and declare as under:

That I will agree to abide by the terms and conditions of National Institute of Pharmaceutical Education and Research, Raebareilly, Ministry of Chemicals & Fertilizers, Government of India issued vide Tender Enquiry No. .... dated .....

That the information furnished hereinafter is correct to best of my knowledge and belief and I undertake to produce relevant records before the procuring authority or any authority nominated by NIPER Raebareilly for the purpose of assessing the LC.

That the LC for all inputs which constitute the said Goods /Services/Works has been verified by me and I am responsible for the correctness of the claims made therein.

That in the event of the LC of the Goods/Services/Works mentioned herein is found to be incorrect and not meeting the prescribed LC norms based on the assessment of an authority nominated by NIPER Raebareilly and I will be liable as under clause 9(f) of Public Procurement(Preference to Make in India) Order 2017.

I agree to maintain all information regarding my claim for LC in the Company's record for a period of 2 years and shall make this available for verification to any statutory authorities:

i. Name and details of the Local Supplier:

(Registered Office, Manufacturing unit location, nature of legal entity)

ii. Date on which this certificate is issued:

iii. Product for which the certificate is produced:

iv. Procuring agency to whom the certificate is furnished:

v. Percentage of LC claimed:

vi. Name and contact details of the unit of the manufacturer:

For and on behalf of \_\_\_\_\_ (Name of firm/entity)

Authorized signatory (To be duly authorized by the Board of Directors)

<Insert Name, Designation and Contact No.>



**Annexure-'J'**

**NO RELATIONSHIP CERTIFICATE**

(On Company Letterhead)

1. I/We hereby certify that I/We\* am/are\* related/not related (\*) to any officer of NIPER Raebareilly. (If Related provide the details of the employee)
2. I/We\* am/are\* aware that, if the facts subsequently proved to be false, my/our\* contract will be rescinded with forfeiture security deposit and I/We\* shall be liable to make good the loss or damage resulting from such cancellation.
3. I/We also note that, non-submission of this certificate will render my / our tender liable for rejection.

Date:

Place:

Authorized Signatory

Name:

Designation:

Contact No.:



**ANNEXURE-‘K’**

**ANNUAL MAINTENANCE CONTRACT**

We hereby certify that the Annual Maintenance Contract for the equipment, after expiry of warranty period will be charged as follows :

**For Comprehensive AMC**

- 1) 1<sup>st</sup> year \_\_\_\_% of the equipment value
- 2) 2<sup>nd</sup> year \_\_\_\_% of the equipment value
- 3) 3<sup>rd</sup> year \_\_\_\_% of the equipment value.

**For Non - Comprehensive AMC**

- 1) 1<sup>st</sup> year \_\_\_\_% of the equipment value
- 2) 2<sup>nd</sup> year \_\_\_\_% of the equipment value
- 3) 3<sup>rd</sup> year \_\_\_\_% of the equipment value.

We also certify that the spares for the equipment will be available for the equipment for \_\_\_\_years.

Date:

Place:

Authorized Signatory

Name:

Designation:

Contact No.:



**ANNEXURE-'L'**

**UNDERTAKING FOR SUBMISSION OF PERFORMANCE BANK GUARANTEE**

(On company Letter Head)

Date: .....

Tender No.: .....

We undertake to submit Performance Bank Guarantee (PBG) of 3% of the order value in case NIPER Raebareli decides to award the contract to us against tender no. .... dated .....

for supply & installation of Lab Furniture. The PBG will be valid for 60 days beyond the expiry of post installation, comprehensive maintenance / warranty period of three years for the proposed installation.

Thanking you,

Sincerely,

For M/s \_\_\_\_\_ (Name of the bidder)

Signature & company

Seal

Name

Designation

Contact.





राष्ट्रीय औषधीय शिक्षा एवं अनुसंधान संस्थान, रायबरेली  
National Institute of Pharmaceutical Education and Research, Raebareilly  
Transit Campus- Bijnor-Sisendi Road, Near CRPF Base Camp, Sarojini Nagar, Lucknow, (UP) – 226301  
Website: www. Niperraebareilly.edu.in Contact No: 0522 - 2497903

ANNEXURE-'M'



**National Institute of Pharmaceutical Education and Research**

(An Autonomous Institute under the Department of Pharmaceuticals, Ministry of Chemicals and Fertilizers, Govt. of India)  
Shree Bhawani Paper Mill Road, Raebareilly - 229 010 (U.P.), India

**NIPER-Raebareilly BANK ACCOUNT DETAILS**

1.	Bank Name	: State Bank of India
2.	Branch	: Central Drug Research Institute, Lucknow
3.	Address	: State Bank of India Central Drug Research Institute, Lucknow CDRI Campus, Sector 10, Jankipuram Extension, Lucknow 226031
4.	Branch Code	: 10174
5.	Account Name	: National Institute of Pharmaceutical Education and Research
6.	Account Number	: 30635448039
7.	IFSC Code	: SBIN0010174
8.	MICR Code	: 226002050

Certified that the Particulars furnished above are correct as per our records.

(Bank's Stamp)



Signature of the Authorized Official  
from the Bank

*11/08/17*  
*Branch Manager*



**Annexure-‘N’**

**ACCEPTANCE OF TENDER TERMS**  
(To be given on Company Letter Head)  
Date: DD/MM/YYYY

To,  
The Director  
National Institute of Pharmaceutical Education and Research,  
Raebareli- 226301.Uttar Pradesh, India

Sub: Acceptance of Terms & Conditions of Tender.

Tender Reference No: \_\_\_\_\_

Name of Tender / Work: -

Dear Sir,

1. I/ We have downloaded / obtained the tender document(s) for the above mentioned ‘Tender’ from the web site(s) namely \_\_\_\_\_ as per your advertisement, given in the above mentioned website(s).
2. I / We hereby certify that I / we have read the entire terms and conditions of the tender documents (including all documents like annexure(s), schedule(s), etc.), which form part of the contract agreement and I / we shall abide hereby by the terms / conditions / clauses contained therein.
3. The corrigendum(s) issued from time to time by your department/ Organisation too have also been taken into consideration, while submitting this acceptance letter.
4. I / We hereby unconditionally accept the tender conditions of above mentioned tender document(s) / corrigendum(s) in its totality / entirety.
5. I / We certify that all information furnished by our Firm is true & correct and in the event that the information is found to be incorrect/untrue or found violated, then your department/ Organization shall without giving any notice or reason therefore or summarily reject the bid or terminate the contract, without prejudice to any other rights or remedy including that we can be debarred for a period up to two years as, per Rule 151(iii) of GFR 2017, in case of false declaration.

Yours Faithfully,

(Signature of the Bidder, with Official Seal)

Envelope-1(Technical-Bid)				
(Following documents to be provided as single PDF file)				
Sl. No.	Documents	Content	File Types	Document Attached
1	Technical Bid	Scan copies of both Tender Fee of Rs.1,000/-	.PDF	( Yes/No )
2		ANNEXURE – A - FORMAT/QUESTIONNAIRE FOR COMPLIANCE OF TERMS AND CONDITIONS	.PDF	( Yes/No )
3		ANNEXURE – A - FORMAT/QUESTIONNAIRE FOR COMPLIANCE OF TERMS AND CONDITIONS	.PDF	( Yes/No )
4		ANNEXURE – B - FORMAT OF COMPLIANCE STATEMENT OF SPECIFICATIONS	.PDF	( Yes/No )
5		ANNEXURE – C- MANUFACTURER’S AUTHORIZATION FORM	.PDF	( Yes/No )
6		ANNEXURE – D- BID SECURING DECLARATION FORM	.PDF	( Yes/No )
7		ANNEXURE – E – PREVIOUS SUPPLY ORDER LIST FORMAT	.PDF	( Yes/No )
8		ANNEXURE – F - BIDDER INFORMATION FORM	.PDF	( Yes/No )
9		ANNEXURE – G - BLACKLIST CERTIFICATE	.PDF	( Yes/No )
10		ANNEXURE – H - CERTIFICATE BY BIDDER- DPII REGISTRATION	.PDF	( Yes/No )
11		ANNEXURE – I - SELF-CERTIFICATION REGARDING LOCAL CONTENT (LC) FOR GOODS, SERVICES OR WORKS	.PDF	( Yes/No )
12		ANNEXURE – J - NO RELATIONSHIP CERTIFICATE	.PDF	( Yes/No )
13		ANNEXURE – K – ANNUAL MAINTENANCE CONTRACT	.PDF	( Yes/No )
14		ANNEXURE – L- UNDERTAKING FOR SUBMISSION OF PERFORMANCE BANK GUARANTEE	.PDF	( Yes/No )
15		ANNEXURE – M PRE-CONTRACT INTEGRITY PAC=	.PDF	( Yes/No )
16		SELF-ATTESTED COPY OF GST NUMBER (AS APPLICABLE)	.PDF	( Yes/No )
17.		TENDER TERMS & CONDITIONS ACCEPTANCE SIGNED WITH OFFICIAL SEAL IS ATTACHED	.PDF	( Yes/No )
18		SOLVENCY CERTIFICATE FOR RS) (NOT OLDER THAN TWELVE MONTHS) ISSUED BY SCHEDULED/NATIONALIZED BANK WITH WHICH BIDDER HOLDS THE CURRENT ACCOUNT	.PDF	( Yes/No )
Envelope-2(Financial-Bid)				
1.		Price bid should be submitted in PDF Format along with bill of material	.PDF	( Yes/No )
2.		Price bid should be submitted in Excel (BOQ) Format	.PDF	( Yes/No )

<b>IMPORTANT NOTICE</b>
-------------------------

TENDERERS RESPONDING TO THIS ENQUIRY SHALL BE DEEMED TO BE AGREEABLE TO THE TERMS AND CONDITIONS HEREIN CONTAINED. THESE TERMS AND CONDITIONS SHALL BE BINDING ON THE SUCCESSFUL TENDERER. CONDITIONAL TENDERS ARE LIABLE TO BE REJECTED. NIPER RAEBARELI WILL PROCESS THE TENDER AS PER NIPER RAEBARELI STANDARD PROCEDURES. THE DIRECTOR OF THE INSTITUTE RESERVES THE RIGHT TO REJECT ANY OR ALL OR PART OF TENDER WITHOUT ASSIGNING ANY REASON AND SHALL ALSO NOT BE BOUND TO ACCEPT THE LOWEST TENDER. NIPER RAEBARELI WOULD NOT BE UNDER ANY OBLIGATION TO GIVE ANY CLARIFICATIONS TO THE AGENCIES WHOSE BIDS ARE REJECTED.
---

I agree to all terms and conditions mentioned in the tender document of the Institute

Signature of the Tenderer